Project Name: CAN

Project Code: CAN Site ID: C520 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Site Information

J. Loveday Desc. By: Locality: Tubbo site 6B-AM Date Desc.: Elevation: 150 metres 01/12/61 Map Ref.: Sheet No.: 8128 1:100000 Rainfall: 410 Northing/Long.: 146.0333333333333 Runoff: Very slow

Easting/Lat.: -34.7 Drainage: Imperfectly drained

Geology

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Slightly porous, Unconsolidated material

(unidentified)

Land Form

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Cracking, Self-mulching

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/AEpicalcareous-Endohypersodic Self-Mulching Grey VertosolPrincipal Profile Form:Ug5.24

ASC Confidence: Great Soil Group: Grey clay

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.1 m Greyish brown (10YR5/2-Dry); , 2.5Y52, 20-50%; , 20-50%; Medium heavy clay; 2-5 mm,

Subangular blocky; Very coarse, (20 - 50) mm crack; Firm consistence; Few (2 - 10 %),

Calcareous, , Concretions; Field pH 7.2 (pH meter);

0.1 - 0.91 m Greyish brown (10YR5/2-Dry); , 2.5Y52, 20-50% ; , 20-50% ; Medium heavy clay; 10-20 mm,

Angular blocky; 20-50 mm, Prismatic; Very coarse, (20 - 50) mm crack; Firm consistence; Few

(2 - 10 %), Calcareous, , Concretions; Field pH 8.4 (pH meter);

0.91 - 1.27 m Greyish brown (10YR5/2-Dry); , 2.5Y52, 20-50%; , 5Y63, 20-50%; Medium heavy clay; Medium,

(5 - 10) mm crack; Very few (0 - 2%), Calcareous, Concretions;

Morphological Notes

Observation Notes

POLYGONAL CRACKING PATTERN ON SURFACE

Site Notes

COLEAMBALLY

Project Name: CAN
Project Code: CAN Site ID: C520
Agency Name: CSIRO Division of Soils (NSW) Observation ID: 1

Laboratory Test Results:

| Depth | рН | 1:5 EC | | hangeable Mg | Cations K | Na | Exchangeable Acidity | CEC | | ECEC | ESP |
|---------------------------------------|--------------|---|----------------------|-----------------|-----------------|----------------|-------------------------|----------|---------------|-----------------|-----------------------|
| m | | dS/m | . | 9 | | Cmol (| | | | | % |
| 0 - 0.025 0.025 - 0.1 0.1 - 0.2 | 5.8A 7.3A | 0.12A 0.12A | | 9 10 | 1.3 1.7 | 0.34 0.49 | 9.2E 3.8E | | | 38.6B 38.5B | |
| 0.2 - 0.3 | 8.4A | 0.15A | 23.5K | 10.1 | 0.92 | 0.75 | | | | 35.3B | |
| Depth m | CaCO3 | Organic C % | Avail. P mg/kg | Total P % | Total N % | Tota K % | Density | Pa GV | article CS | Size FS % | Analysis Silt Clay |
| 0 - 0.025 0.025 - 0.1 0.1 - 0.2 | | 1.06F 0.53F | | | | | | | 5D 5D | 17 17 | - |
| 0.2 - 0.3 | 0.38E | 3 | | | | | | | 4D | 16 | 11 66 |
| Depth | COLE | COLE Gravimetric/Volumetric Water Contents Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar | | | | | | | Ks | at | K unsat |
| m | | | | g/ | g - m3/m | 3 | | | mm | /h | mm/h |

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

CAN **Project Name:**

Project Code: CAN Site ID: C520 Observation ID: 1

Agency Name: **CSIRO Division of Soils (NSW)**

Laboratory Analyses Completed for this profile

Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded Exch. basic cations (K++) - meq per 100g of soil - Not recorded 15_NR_CA 15_NR_K 15_NR_MG 15_NR_NA Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded Exch. basic cations (Na++) - meq per 100g of soil - Not recorded

Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 15G1_H 15J_H Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

19B1 Carbonates - manometric 2_LOI Loss on Ignition (%) 3A1 EC of 1:5 soil/water extract 4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6_DC Organic carbon (%) - Dry combustion

P10_PB_C Clay (%) - Plummet balance P10_PB_CS Coarse sand (%) - Plummet balance P10_PB_FS P10_PB_Z Fine sand (%) - Plummet balance

Silt (%) - Plummet balance