CAN **Project Name:**

Project Code: CAN Site ID: **CP149** Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Site Information

Locality: G.A. Stewart Mumblebone Carinda/Warren Road:Warren ~14KM

Desc. By: Date Desc.: 11/06/79 Elevation: 180 metres Sheet No.: SH8435 Map Ref.: 1:100000 Rainfall: 600 Northing/Long.: 147.6833333333333 Runoff: Very slow

-31.48333333333333 Imperfectly drained Easting/Lat.: Drainage:

Geology

ExposureType: No Data Conf. Sub. is Parent. Mat.: No Data

Substrate Material: Geol. Ref.: No Data Slightly porous, Unconsolidated material

(unidentified)

Land Form

Rel/Slope Class: Level plain <9m <1% Pattern Type: Plain Morph. Type: Flat Relief: No Data Elem. Type: Plain Slope Category: Level 0 % Aspect: No Data Slope:

Surface Soil Condition (dry): Hardsetting

Erosion:

Soil Classification

Australian Soil Classification: Mapping Unit: N/A Epicalcareous-Endohypersodic Epipedal Grey Vertosol **Principal Profile Form:** Ug5.5 **Great Soil Group:** Black earth **ASC Confidence:**

Analytical data are incomplete but reasonable confidence.

Site Disturbance: Complete clearing. Pasture, native or improved, cultivated at some stage

Vegetation: Low Strata - Sod grass, , . *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Pr

Profile Morphology	
0 - 0.1 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Moderate grade of structure, 2-5 mm, Angular blocky; Strong consistence; Field pH 7 (pH meter);
0.1 - 0.2 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Moderate grade of structure, 2-5 mm, Angular blocky; Strong consistence; Field pH 8.1 (pH meter);
0.2 - 0.3 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Moderate grade of structure, 2-5 mm, Angular blocky; Strong consistence; Field pH 8.5 (pH meter);
0.3 - 0.4 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter);
0.4 - 0.5 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.9 (pH meter);
0.5 - 0.6 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Soft segregations; Field pH 8.8 (pH meter);
0.6 - 0.7 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.8 (pH meter);
0.7 - 0.8 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter);
0.8 - 0.9 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.6 (pH meter);

0.9 - 1 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm,

Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Soft segregations; Field pH

8.7 (pH meter);

CP149 Project Code: CAN Site ID: Observation ID: 1 **Agency Name: CSIRO** Division of Soils (NSW) 1 - 1.1 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.2 (pH Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, 1.1 - 1.2 m Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.2 (pH Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.2 (pH 1.2 - 1.3 m meter): 1.3 - 1.4 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.2 (pH Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, 1.4 - 1.5 m Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.1 (pH meter). 1.5 - 1.6 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.1 (pH meter); 1.6 - 1.7 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8.1 (pH 1.7 - 1.8 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, Concretions; Field pH 8 (pH Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 8 (pH 1.8 - 1.9 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, 1.9 - 2 m Angular blocky; Strong consistence; Few (2 - 10 %), Calcareous, , Concretions; Field pH 7.9 (pH meter):

Morphological Notes
Observation Notes
SMALL SHINY SURFACES
Site Notes
WARREN

Project Name:

CAN

Project Name: CAN
Project Code: CAN Site ID: CP149
Agency Name: CSIRO Division of Soils (NSW) Observation ID: 1

Depth	рН	1:5 EC		hangeable			Exchangeable	CEC	ECEC	ESP
m		dS/m	Ca	Mg	К	Na Cmol (+	Acidity ·)/kg			%
0 - 0.1 0.1 - 0.2 0.2 - 0.3 0.3 - 0.4 0.4 - 0.5 0.5 - 0.6 0.6 - 0.7 0.7 - 0.8 0.8 - 0.9 0.9 - 1 1 - 1.1 1.1 - 1.2 1.2 - 1.3 1.3 - 1.4 1.4 - 1.5 1.5 - 1.6 1.6 - 1.7 1.7 - 1.8 1.8 - 1.9 1.9 - 2	7A 8.1A 8.5A 8.7A 8.8A 8.8A 8.7A 8.6A 8.7A 8.2A 8.2A 8.2A 8.1A 8.1A 8.1A 8.7.9A	0.07A 0.11A 0.11A 0.22A 0.29A 0.41A 0.47A 0.52A 0.62A 0.63A 0.63A 0.63A 0.62A 0.63A 0.62A		10.9	1.5	1.3	14.2B	41.6J		3.13
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Total K %	l Bulk Density Mg/m3		icle Size CS FS %	Analysis Silt Clay
0 - 0.1 0.1 - 0.2 0.2 - 0.3 0.3 - 0.4 0.4 - 0.5 0.5 - 0.6 0.6 - 0.7 0.7 - 0.8 0.8 - 0.9 0.9 - 1 1 - 1.1 1.1 - 1.2 1.2 - 1.3 1.3 - 1.4 1.4 - 1.5 1.5 - 1.6 1.6 - 1.7 1.7 - 1.8 1.8 - 1.9 1.9 - 2		1.25D							1D 1	1 26 64
Depth	COLE	Sat.	Grav 0.05 Bar		olumetric V 0.5 Bar	Vater Con 1 Bar		5 Bar	K sat	K unsat
m		out.	3.00 Bai		/g - m3/m		o Dai Ti	. Dui	mm/h	mm/h
0 - 0.1							O).21B		

Project Name: CAN

Project Code: Agency Name: CAN Site ID: CP149 Observation ID: 1

CSIRO Division of Soils (NSW)

0.1 - 0.2 0.2 - 0.3 0.3 - 0.4

0.4 - 0.5 0.5 - 0.6

0.6 - 0.7 0.7 - 0.8 0.8 - 0.9 0.9 - 1 1 - 1.1 1.1 - 1.2 1.2 - 1.3 1.3 - 1.4 1.4 - 1.5 1.5 - 1.6 1.6 - 1.7 1.7 - 1.8 1.8 - 1.9 1.9 - 2

Project Name: CAN

Project Code: CAN Site ID: CP149 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile

15_NR_CA Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded

15_NR_CEC CEC - meq per 100g of soil - Not recorded

15_NR_KExch. basic cations (K++) - meq per 100g of soil - Not recorded15_NR_MGExch. basic cations (Mg++) - meq per 100g of soil - Not recorded15_NR_NAExch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G_C_AL1 Exchangeable aluminium - meq per 100g of soil - Aluminium By difference of C and A or B

2A1 Air-dry moisture content
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6A1_UC Organic carbon (%) - Uncorrected Walkley and Black method

P10_PB_C
P10_PB_CS
P10_PB_CS
P10_PB_FS
P10_PB_Z
P10_PB_Z
P10_PB_Z
Clay (%) - Plummet balance
Coarse sand (%) - Plummet balance
Fine sand (%) - Plummet balance
Silt (%) - Plummet balance

P3B_GV_15 15 BAR Moisture g/g - Gravimetric using pressure plate