

Project Name: CAN
Project Code: CAN **Site ID:** CP130 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (VIC)

Site Information

Desc. By:	C.L. Watson	Locality:	Wooroonook Borung Highway turn off ~15KM west of Charlton
Date Desc.:	15/10/78	Elevation:	120 metres
Map Ref.:	Sheet No. : SJ7525 1:100000	Rainfall:	430
Northing/Long.:	143.183333333333	Runoff:	No Data
Easting/Lat.:	-36.25	Drainage:	Moderately well drained

Geology

Exposure Type:	No Data	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	Gently undulating plains <9m 1-3%	Pattern Type:	Plain
Morph. Type:	Flat	Relief:	No Data
Elem. Type:	Plain	Slope Category:	Very gently sloped
Slope:	0 %	Aspect:	No Data

Surface Soil Condition (dry): Recently cultivated, Hardsetting

Erosion:

Soil Classification

Australian Soil Classification:	Mapping Unit:	N/A
Vertic Lithocalcic Brown Dermosol	Principal Profile Form:	Dr2.13
ASC Confidence:	Great Soil Group:	Red-brown earth
No analytical data are available but confidence is fair.		

Site Disturbance: Cultivation. Rainfed

Vegetation: Low Strata - Sod grass, , . *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.05 m	Brown (7.5YR4/4-Moist); ; Silty medium clay (Light); Massive grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Very strong consistence; Sharp change to -
0.05 - 0.1 m	Brown (7.5YR4/4-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Field pH 7.4 (pH meter);
0.1 - 0.2 m	Brown (7.5YR4/4-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Field pH 8.5 (pH meter);
0.2 - 0.3 m	Brown (7.5YR4/4-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Field pH 8.5 (pH meter);
0.3 - 0.4 m	Brown (7.5YR4/4-Moist); ; Medium heavy clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Field pH 8.3 (pH meter); Sharp change to -
0.4 - 0.5 m	Yellowish red (5YR4/6-Moist); ; Light medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Very few (0 - 2 %), Calcareous, , Soft segregations; Field pH 8.4 (pH meter); Gradual change to -
0.5 - 0.6 m	Yellowish red (5YR4/6-Moist); ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Very few (0 - 2 %), Calcareous, , Soft segregations; Field pH 8.6 (pH meter);
0.6 - 0.7 m	Yellowish red (5YR4/6-Moist); ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Very few (0 - 2 %), Calcareous, , Soft segregations; Field pH 8.6 (pH meter); Sharp change to -
0.7 - 0.8 m	Reddish brown (5YR4/4-Moist); ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Many (20 - 50 %), Calcareous, , Concretions; Field pH 8.6 (pH meter);
0.8 - 0.9 m	Reddish brown (5YR4/4-Moist); ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Weak consistence; Many (20 - 50 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter);

Project Name: CAN
Project Code: CAN **Site ID:** CP130 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (VIC)

0.9 - 1 m	Reddish brown (5YR4/4-Moist); , 7.5YR44, 2-10% ; , 2-10% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter);
1 - 1.1 m	Reddish brown (5YR4/4-Moist); , 7.5YR44, 10-20% ; , 10-20% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Concretions; Field pH 8.5 (pH meter);
1.1 - 1.2 m	Reddish brown (5YR4/4-Moist); , 7.5YR44, 20-50% ; , 20-50% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter);
1.2 - 1.3 m	Brown (7.5YR5/4-Moist); , 5YR44, 20-50% ; , 20-50% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Concretions; Field pH 8.7 (pH meter); Sharp change to -
1.3 - 1.4 m	Brown (7.5YR5/4-Moist); , Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Soft segregations; Field pH 8.6 (pH meter);
1.4 - 1.5 m	Brown (7.5YR5/4-Moist); , 10YR63, 2-10% ; , 2-10% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Concretions; Field pH 8.7 (pH meter);
1.5 - 1.6 m	Pale brown (10YR6/3-Moist); , 7.5YR54, 10-20% ; , 10YR83, 10-20% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Soft segregations; Field pH 8.7 (pH meter); Sharp change to -
1.6 - 1.7 m	Brown (10YR5/3-Moist); , 7.5YR56, 2-10% ; , 2-10% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Many (20 - 50 %), Calcareous, , Concretions; Field pH 8.6 (pH meter);
1.7 - 1.8 m	Brown (10YR5/3-Moist); , 7.5YR56, 2-10% ; , 2-10% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Very many (50 - 100 %), Calcareous, , Soft segregations; Field pH 8.6 (pH meter);
1.8 - 1.9 m	Brown (10YR5/3-Moist); , 7.5YR56, 2-10% ; , 2-10% ; Medium clay; Strong grade of structure, 2-5 mm, Angular blocky; Weak consistence; Very many (50 - 100 %), Calcareous, , Concretions; Field pH 8.5 (pH meter);

Morphological Notes

Observation Notes

Site Notes

CHARLTON

Project Name: CAN

Project Code: CAN

Site ID: CP130

Observation ID: 1

Agency Name: CSIRO Division of Soils (VIC)

Depth	COLE	Gravimetric/Volumetric Water Contents							K sat	K unsat
		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	mm/h	mm/h
m		g/g - m3/m3								
0 - 0.05								0.12B		

Project Name: CAN
Project Code: CAN **Site ID:** CP130 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (VIC)

0.05 - 0.1
0.1 - 0.2
0.2 - 0.3
0.3 - 0.4
0.4 - 0.5
0.5 - 0.6
0.6 - 0.7
0.7 - 0.8
0.8 - 0.9
0.9 - 1
1 - 1.1
1.1 - 1.2
1.2 - 1.3
1.3 - 1.4
1.4 - 1.5
1.5 - 1.6
1.6 - 1.7
1.7 - 1.8
1.8 - 1.9

Project Name: CAN
Project Code: CAN **Site ID:** CP130 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (VIC)

Laboratory Analyses Completed for this profile

15_NR_CA	Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15_NR_CEC	CEC - meq per 100g of soil - Not recorded
15_NR_K	Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15_NR_MG	Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15_NR_NA	Exch. basic cations (Na++) - meq per 100g of soil - Not recorded
15G_C_AL1	Exchangeable aluminium - meq per 100g of soil - Aluminium By difference of C and A or B
2A1	Air-dry moisture content
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
5A2	Chloride - 1:5 soil/water extract, automated colour
6A1_UC	Organic carbon (%) - Uncorrected Walkley and Black method
P10_PB_C	Clay (%) - Plummet balance
P10_PB_CS	Coarse sand (%) - Plummet balance
P10_PB_FS	Fine sand (%) - Plummet balance
P10_PB_Z	Silt (%) - Plummet balance
P3B_GV_15	15 BAR Moisture g/g - Gravimetric using pressure plate