

Project Name: Preliminary Assessment and Survey of Land Degradation in the Dalrymple Shire, QLD
Project Code: DLR **Site ID:** 188 **Observation ID:** 1
Agency Name: QLD Department of Primary Industries

Site Information

Desc. By:	M. DeCorte	Locality:	
Date Desc.:	08/08/90	Elevation:	225 metres
Map Ref.:	Sheet No. : 8156 GPS	Rainfall:	No Data
Northing/Long.:	7684382 AMG zone: 55	Runoff:	Very rapid
Easting/Lat.:	413505 Datum: AGD66	Drainage:	Well drained

Geology

Exposure Type:	No Data	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	Level plain <9m <1%	Pattern Type:	Plain
Morph. Type:	Flat	Relief:	No Data
Elem. Type:	Plain	Slope Category:	Level
Slope:	1 %	Aspect:	0 degrees

Surface Soil Condition (dry): Cracking, Self-mulching

Erosion:

Soil Classification

Australian Soil Classification:		Mapping Unit:	N/A
Class Undetermined Epipedal Brown Vertosol Non-gravelly		Principal Profile Form:	Ug5.24
Medium fine Very fine Very deep			
ASC Confidence:		Great Soil Group:	Grey clay
No analytical data and little or no knowledge of this soil.			

Site Disturbance: No effective disturbance other than grazing by hoofed animals

Vegetation: Low Strata - Tussock grass, 0.26-0.5m, Sparse. *Species includes - Bothriochloa ewartiana, Sporobolus caroli
Mid Strata - Tree, 3.01-6m, Mid-dense. *Species includes - Acacia argyrodendron, Acacia shirleyi
Tall Strata - Tree, 6.01-12m, Sparse. *Species includes - Acacia argyrodendron, Acacia shirleyi

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

A1	0 - 0.05 m	Pale brown (10YR6/3-Moist); ; Medium clay; Strong grade of structure, 2-5 mm, Granular; Smooth-ped fabric; Fine, (0 - 5) mm crack; Moderately moist; Firm consistence; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Concretions; , Gypseous, , ; Field pH 9.9 (Raupach, 0.05); Common, fine (1-2mm) roots; Clear, Smooth change to -
B21	0.05 - 0.8 m	Brown (10YR5/3-Moist); ; Medium heavy clay; Strong grade of structure, 5-10 mm, Angular blocky; Smooth-ped fabric; Fine, (0 - 5) mm crack; Moderately moist; Weak consistence; , Calcareous, , , Gypseous, , ; Field pH 9.9 (Raupach, 0.3); Common, fine (1-2mm) roots; Diffuse, Smooth change to -
B22c	0.8 - 1.6 m	Brown (10YR5/3-Moist); ; Medium heavy clay; Strong grade of structure, 5-10 mm, Lenticular; Smooth-ped fabric; Moderately moist; Weak consistence; Few cutans, <10% of ped faces or walls coated, prominent; Common (10 - 20 %), Manganiferous, Fine (0 - 2 mm), Soft segregations; , Calcareous, , , Gypseous, , ; Field pH 7.5 (Raupach, 1.2);

Morphological Notes

Observation Notes

Site Notes

Laboratory Test Results:

[illegible]

Project Name: Preliminary Assessment and Survey of Land Degradation in the Dalrymple Shire, QLD
Project Code: DLR **Site ID:** 188 **Observation ID:** 1
Agency Name: QLD Department of Primary Industries

Laboratory Analyses Completed for this profile

10B	Extractable sulfur(mg/kg) - Phosphate extractable sulfur
15A2_CA	Exchangeable bases (Ca2+,Mg2+,Na+,K+) - 1M ammonium chloride at pH 7.0, pretreatment for soluble salts
15A2_K	Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts
15A2_MG	Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts
15A2_NA	Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts
15C1_CA	Exchangeable bases (Ca2+,Mg2+,Na+,K+) - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_CEC	CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_K	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_MG	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_NA	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
4A1	pH of 1:5 soil/water suspension