Project Name: Soil Studies in the Lower Namoi Valley

Project Code: EDGEROI Site ID: ed196 Observation ID: 1

Agency Name: CSIRO Division of Soils (QLD)

Site Information

Desc. By: G.M. Roberts Locality: ? Lochelain Date Desc.: Elevation: 05/09/85 200 metres Map Ref.: Sheet No.: 8837 N 1:50000 Rainfall: No Data Northing/Long.: 6651500 AMG zone: 55 Runoff: No Data 748200 Datum: AGD66 Easting/Lat.: Drainage: No Data

Geology

ExposureType: Undisturbed soil core Conf. Sub. is Parent. Mat.: No Data Substrate Material: No Data

Land Form

 Rel/Slope Class:
 No Data
 Pattern Type:
 No Data

 Morph. Type:
 No Data
 Relief:
 No Data

 Elem. Type:
 Terrace flat
 Slope Category:
 Level

 Slope:
 0 %
 Aspect:
 No Data

Surface Soil Condition (dry): Self-mulching, Recently cultivated

Erosion:

Soil Classification

 Australian Soil Classification:
 Mapping Unit:
 N/A

 N/A
 Principal Profile Form:
 Ug5.15

 ASC Confidence:
 Great Soil Group:
 Brown clay

Confidence level not specified

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation:

Surface Coarse Fragments:

Profile Morphology

A11p 0 - 0.1 m Very dark greyish brown (10YR3/2-Moist); Dark greyish brown (10YR4/2-Dry); ; Medium clay; Weak grade of structure. 2-5 mm. Granular: Moderate grade of structure. 10-20 mm.

Subangular blocky; Earthy fabric; Smooth-ped fabric; Fine, (0 - 5) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Very firm consistence; Field pH

8.5 (pH meter); Few, very fine (0-1mm) roots;

A12 0.1 - 0.25 m Very dark greyish brown (10YR3/2-Moist); , 10YR64, 0-2% , 5-15mm, Distinct; Medium heavy

clay; Strong grade of structure, 5-10 mm, Lenticular; Moderate grade of structure, 2-5 mm, Angular blocky; Smooth-ped fabric; Medium, (5 - 10) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Firm consistence; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Nodules; Field pH 8.7 (pH meter); Few, very fine (0-1mm) roots;

A13k 0.25 - 0.55 m Very dark greyish brown (10YR3/2-Moist); ; Medium heavy clay; Moderate grade of structure,

20-50 mm, Angular blocky; Moderate grade of structure, 5-10 mm, Angular blocky; Smooth-ped fabric; Medium, (5 - 10) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Very firm consistence; Few (2 - 10 %), Calcareous, Medium (2 -

6 mm), Nodules; Field pH 8.7 (pH meter); Few, very fine (0-1mm) roots;

A14k 0.55 - 0.83 m Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Strong grade of structure, 20-50

mm, Lenticular; Moderate grade of structure, 5-10 mm, Angular blocky; Smooth-ped fabric; Fine, (0 - 5) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Very firm consistence; Few (2 - 10 %), Calcareous, Medium (2 -6 mm), Nodules; Field pH

8.7 (pH meter); Few, very fine (0-1mm) roots;

B21k 0.83 - 1.9 m Brown (10YR4/3-Moist); , 10YR41, 2-10% , 15-30mm, Distinct; Medium clay; Weak grade of

structure, 20-50 mm, Subangular blocky; Moderate grade of structure, 5-10 mm, Lenticular; Earthy fabric; Smooth-ped fabric; Fine, (0 - 5) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Firm consistence; Few (2 - 10 %), Calcareous,

Coarse (6 - 20 mm), Nodules; Field pH 8.7 (pH meter); Few, very fine (0-1mm) roots;

B22 1.9 - 2.6 m Brown (10YR4/3-Moist); , 7.5YR56, 2-10% , 5-15mm, Distinct; Medium clay; Strong grade of

structure, 10-20 mm, Lenticular; Moderate grade of structure, 5-10 mm, Angular blocky; Smooth-ped fabric; Fine, (0 - 5) mm crack; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Firm consistence; Few (2 - 10 %), Ferruginous, Medium (2 -6

mm), Veins; Field pH 8.7 (pH meter);

Morphological Notes

Observation Notes

Project Name: Project Code: Agency Name:

Soil Studies in the Lower Namoi Valley EDGEROI Site ID: ed196 CSIRO Division of Soils (QLD) Observation ID: 1

Parent Rock: alluvial sediment, clay, first terraced fan, Namoi

Site Notes

Soil Studies in the Lower Namoi Valley EDGEROI Site ID: ed196 CSIRO Division of Soils (QLD) Observation ID: 1

Project Name: Project Code: Agency Name:

Laboratory Test Results:

Depth	рН	1:5 EC		hangeable			Exchangeable	CEC	:	ECEC		ESP
m		dS/m	Ca	Mg	К	Na Acidity Cmol (+)/kg						%
0 - 0.02	8.54A	0.204A	23.69B	12.8	1.5	2.08						
0 - 0.1	8.15A	0.198A	23.54B	13.45	1.94	1.16						
0.1 - 0.2	8.36A	0.124A	22.84B	13.72	1.14	1.45						
0.3 - 0.4	8.94A	0.123A	22.3B	15.02	0.7	3.22						
0.7 - 0.8	8.98A	0.208A	18.78B	15.61	0.71	3.87						
1.2 - 1.3	9.06A	0.259A	16.12B	15	0.7	5.31						
2.5 - 2.6	9.1A	0.163A	15.19B	11.09	0.41	3.59						
Depth	CaCO3	Organic	Avail.	Total	Total	Tota					Analysi	
	0.4	C	P	P	N	K	Density	G۷	cs	FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.02	<0.1B	0.87C									17.4	1 62.8
0 - 0.1	0.2B	1.19C	39J									1 61.8
0.1 - 0.2	0.4B	0.86C	24.3J								17.7	
0.3 - 0.4	0.5B	0.56C	8J								16.4	
0.7 - 0.8	0.8B	0.46C	16J								16.8	64.2
1.2 - 1.3	1.5B	0.3C	24.6J								19.4	4 65.9
2.5 - 2.6	1B	0.15C	23J								22.2	2 55.4
Depth	COLE									K unsa	nt	
m		Sat.	0.05 Bar	0.1 Bar g/	0.5 Bar /g - m3/m	1 Bar 3	5 Bar 15	Bar	mm	/h	mm/h	

^{0 - 0.02} 0 - 0.1 0.1 - 0.2

^{0.3 - 0.4} 0.7 - 0.8 1.2 - 1.3 2.5 - 2.6

Project Name: Soil Studies in the Lower Namoi Valley

Project Code: EDGEROI Site ID: ed196 Observation ID: 1

Agency Name: CSIRO Division of Soils (QLD)

Laboratory Analyses Completed for this profile

15A2_CA Exchangeable bases (Ca2+,Mg2+,Na+,K+) - 1M ammonium chloride at pH 7.0, pretreatment for

soluble salts

15A2_K Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts 15A2_MG Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts 15A2_NA Exchangeable bases- 1M ammonium chloride at pH 7.0, pretreatment for soluble salts

19B1 Carbonates - manometric 3A1 EC of 1:5 soil/water extract 4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6B3 Total organic carbon - high frequency induction furnace, infrared

7B1 Water soluble nitrate - automated colour

9B1 Bicarbonate-extractable phosphorus - manual colour

P10_CF_C Clay (%) - Coventry and Fett pipette method Silt (%) - Coventry and Fett pipette method