Project Name: PAU

Project Code: PAU Site ID: H229 Observation ID: 1

Agency Name: CSIRO Division of Soils (TAS)

Site Information

Desc. By: K.D. Nicholls Locality: 4.8KM S of Mathinna in forestry commission pine

plantation:14CH on 130degrees from shield tree

FCT4(on Mathinna track)

Date Desc.: 09/11/61 **Elevation:** 518 metres

Map Ref.: Sheet No.: 4794 Rainfall: 900

Northing/Long.: 147.901388888889 Runoff: Moderately rapid Easting/Lat.: -41.508333333333 Drainage: Moderately well drained

Geology

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Auger boring, 1.5 m deep, Slate

Land Form

Rel/Slope Class:No DataPattern Type:No DataMorph. Type:RidgeRelief:No DataElem. Type:HillslopeSlope Category:Gently inclinedSlope:4spect:113 degrees

Surface Soil Condition (dry):

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/ABleached-Acidic Magnesic Brown KandosolPrincipal Profile Form:Gn2.74

ASC Confidence: Yellow podzolic soil

All necessary analytical data are available.

<u>Site Disturbance:</u> No effective disturbance other than grazing by hoofed animals <u>Vegetation:</u> Low Strata - Fern, , . *Species includes - None recorded

Tall Strata - Tree, 20.01-35m, . *Species includes - Eucalyptus obliqua

Surface Coarse Fragments: 2-10%, , , Quartz

Profile Morphology

0.89 - 1.07 m

A1	0 - 0.02 m	Black (10YR2/1-Moist); ; Sandy loam; Moderate grade of structure, <2 mm, Granular; Moist; Weak consistence; 0-2%, subangular platy, Quartzite, coarse fragments; ManyDiffuse change to -
A1	0.02 - 0.08 m	Very dark grey (10YR3/1-Moist); ; Loamy sand; Weak grade of structure, <2 mm, Granular; Moist; Weak consistence; 0-2%, subangular platy, Quartzite, coarse fragments; ManyDiffuse change to -
A2	0.08 - 0.15 m	Light brownish grey (10YR6/2-Moist); ; Sand (Heavy); Single grain grade of structure; Moist; Very weak consistence; 2-10%, fine gravelly, 2-6mm, Quartz, coarse fragments; Diffuse, Tongued change to -
A3B1	0.15 - 0.25 m	Light grey (2.5Y7/2-Moist); , 10YR66; Clayey sand; Massive grade of structure; Moist; Very weak consistence; 2-10%, fine gravelly, 2-6mm, Quartz, coarse fragments; Clear, Irregular change to -
B1	0.25 - 0.38 m	Reddish yellow (7.5YR6/6-Moist); , 2.5Y64; Sandy clay loam; Massive grade of structure; Moist; Very weak consistence; 20-50%, Gravel, coarse fragments; Few, fine (1-2mm) roots; Diffuse change to -
B2	0.38 - 0.51 m	Strong brown (7.5YR5/8-Moist); ; Sandy medium clay; Weak grade of structure, 2-5 mm, Subangular blocky; Moist; Very weak consistence; 20-50%, Gravel, coarse fragments; Clear change to -
ВС	0.51 - 0.71 m	Brownish yellow (10YR6/6-Moist); ; Sandy medium clay; Massive grade of structure; Moist; Weak consistence; 10-20%, Gravel, coarse fragments; Diffuse change to -
ВС	0.71 - 0.89 m	Strong brown (7.5YR5/8-Moist); , 10YR68; Clayey sand; Massive grade of structure; Moist; Weak consistence; 2-10%, Gravel, coarse fragments; Diffuse change to -

consistence; 10-20%, Gravel, coarse fragments; Clear change to -

Reddish yellow (7.5YR6/8-Moist); , 10YR68; Sandy clay loam; Massive grade of structure; Weak

PAU **Project Name:**

Project Code: PAU Site ID: H2: Agency Name: CSIRO Division of Soils (TAS) Site ID: H229 Observation ID: 1

Brownish yellow (10YR6/8-Moist); , 7.5YR68; , 5YR58; Silty medium clay; Weak grade of structure, 20-50 mm, Angular blocky; Weak consistence; 2-10%, Gravel, coarse fragments; 1.07 - 1.19 m

Morphological Notes

Observation Notes

0-8CM <2% CHARCOAL + ANGULAR VEIN OF QUARTZ ALSO:>132CM LAMINATED W'D ROCK (PROBABLY SLATE):

Site Notes

BEN LOMOND

Project Name: PAU
Project Code: PAU Site ID: H2:
Agency Name: CSIRO Division of Soils (TAS) Site ID: H229 Observation ID: 1

Project Name: PAU

Project Code: PAU Site ID: H229 Observation ID: 1

Agency Name: CSIRO Division of Soils (TAS)

Laboratory Analyses Completed for this profile

15E1_CA

Exchangeable bases (Ca2+,Mg2+,Na+,K+) by compulsive exchange, no pretreatment for soluble 15E1_K

Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts

Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts

Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts

15G_C_H1 Exchangeable hydrogen - meq per 100g of soil - Hydrogen By back titration of A or B Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2_LOI Loss on Ignition (%)
2A1 Air-dry moisture content
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6A1_UC Organic carbon (%) - Uncorrected Walkley and Black method

7A2 Total nitrogen - semimicro Kjeldahl , automated colour

9A_HCL Total element - P(%) - By boiling HCl

P10_GRAV Gravel (%)

P10_PB_C Clay (%) - Plummet balance
P10_PB_CS Coarse sand (%) - Plummet balance
P10_PB_FS Fine sand (%) - Plummet balance
P10_PB_Z Silt (%) - Plummet balance

P10A1_C Clay (%) - Pipette
P10A1_CS Coarse sand (%) - Pipette
P10A1_FS Fine sand (%) - Pipette
P10A1_Z Silt (%) - Pipette