

Project Name: WAGGA WAGGA SOIL LANDSCAPES
Project Code: 1000448 **Site ID:** WW246 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By:	Chen, XY	Locality:	
Date Desc.:	15/07/93	Elevation:	264 metres
Map Ref.:	Sheet No. : 8327 1:25000	Rainfall:	No Data
Northing/Long.:	6087825 AMG zone: 55	Runoff:	Slow
Easting/Lat.:	519950 Datum: AGD66	Drainage:	Moderately well drained

Geology

ExposureType:	No Data	Conf. Sub. is Parent. Mat.:	Probable
Geol. Ref.:	Cza	Substrate Material:	Clay

Land Form

Rel/Slope Class:	No Data	Pattern Type:	Rises
Morph. Type:	Mid-slope	Relief:	No Data
Elem. Type:	Hillslope	Slope Category:	No Data
Slope:	3 %	Aspect:	135 degrees

Surface Soil Condition (dry): Hardsetting

Erosion:

Soil Classification

Australian Soil Classification:		Mapping Unit:	N/A
Haplic Red Chromosol Thick Gravelly Loamy		Principal Profile Form:	Dr2.11
ASC Confidence:		Great Soil Group:	N/A
Confidence level not specified			

Site Disturbance:

Vegetation:

Surface Coarse Fragments:

Profile Morphology

A	0 - 0.15 m	Reddish brown (5YR4/4-Moist); ; Clay loam; Weak grade of structure, 5-10 mm, Subangular blocky; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Common (1-5 per 100mm2) Fine (1-2mm) macropores, Dry; Weak consistence; Slightly plastic; Moderately sticky; Field pH 5.5 (Raupach); Many, fine (1-2mm) roots; Gradual, Smooth change to -
B2	0.15 - 0.35 m	Yellowish red (5YR4/8-Moist); ; Light clay; Moderate grade of structure, 5-10 mm, Polyhedral; Rough-ped fabric; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Dry; Very firm consistence; Moderately plastic; Very sticky; Few (2 - 10 %), Ferromanganiferous, Fine (0 - 2 mm), Nodules, strong, segregations; Few (2 - 10 %), Ferromanganiferous, Medium (2 -6 mm), Nodules, strong, segregations; Field pH 6 (Raupach); Common, fine (1-2mm) roots; Diffuse change to -
B3	0.35 - 0.7 m	Strong brown (7.5YR5/6-Moist); Mottles, 2-10% , Distinct; Light medium clay; Moderate grade of structure, 5-10 mm, Polyhedral; Smooth-ped fabric; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Firm consistence; Moderately plastic; Very sticky; Few (2 - 10 %), Ferromanganiferous, Fine (0 - 2 mm), Nodules, strong, segregations; Few (2 - 10 %), Ferromanganiferous, Medium (2 -6 mm), Nodules, strong, segregations; Field pH 6 (Raupach); Common, fine (1-2mm) roots;

Morphological Notes

Observation Notes

Site Notes

Project Name: WAGGA WAGGA SOIL LANDSCAPES
 Project Code: 1000448 Site ID: WW246 Observation ID: 1
 Agency Name: CSIRO Division of Soils (ACT)

Laboratory Test Results:

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0 - 0.15	4.4B	0.04A	2.5J	0.8	0.8	0.2	0L	4.9I		4.08
0.15 - 0.35	5.5B	0.02A	5.7J	2.8	0.9	0.3	0L	11.4I		2.63
0.35 - 0.7	5.7B	0.02A	4.9J	3.3	0.7	0.2	0L	6.5I		3.08

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle GV	Size CS	Analysis FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.15		1.31A	2D						6F	65	17	12
0.15 - 0.35		0.28A	0D						5F	33	14	48
0.35 - 0.7		0.18A	0D					1	3F	34	16	46

Depth	COLE	Gravimetric/Volumetric Water Contents							K sat	K unsat
m		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	mm/h	mm/h
				g/g - m3/m3						
0 - 0.15				0.47B				0.09B		
0.15 - 0.35				0.46B				0.18B		
0.35 - 0.7				0.45B				0.18B		

Project Name: WAGGA WAGGA SOIL LANDSCAPES
Project Code: 1000448 **Site ID:** WW246 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Analyses Completed for this profile

15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F2	Exchangeable aluminium by 0.01m (AgTU)+
15F3	CEC by 0.01M silver-thiourea (AgTU)+
3A1	EC of 1:5 soil/water extract
4B1	pH of 1:5 soil/0.01M calcium chloride extract - direct
6A1	Organic carbon - Walkley and Black
9E	Available P (mg/kg) - Bray P
9J2	Phosphate sorption curve - automated colour
P10_GRAV	Gravel (%)
P10_HYD_C	Clay (%) - Hydrometer Method
P10_HYD_CS	Coarse Sand (%) - Hydrometer Method
P10_HYD_FS	Fine Sand (%) - Hydrometer Method
P10_HYD_Z	Silt (%) - Hydrometer Method
P3B_GV_01	0.1 BAR Moisture g/g - Gravimetric using suction plate
P3B_GV_15	15 BAR Moisture g/g - Gravimetric using pressure plate