Project Name: Hardsetting Soils

Project Code: HS Site ID: CP299 Observation ID: 1

Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By: C.J. Chartres Locality: Several kilometres southeast of 'Yerong Creek'

Date Desc.: Elevation: No Data 01/01/92 Map Ref.: Sheet No.: 8327 1:100000 Rainfall: No Data Northing/Long.: 6081733 AMG zone: 55 Runoff: No Data 509133 Datum: AGD66 No Data Easting/Lat.: Drainage:

Geology

ExposureType: Undisturbed soil core Conf. Sub. is Parent. Mat.: No Data Geol. Ref.: No Data Substrate Material: No Data

**Land Form** 

Rel/Slope Class:No DataPattern Type:No DataMorph. Type:Mid-slopeRelief:No DataElem. Type:HillslopeSlope Category:No DataSlope:%Aspect:5 degrees

Surface Soil Condition (dry):

**Erosion:** 

**Soil Classification** 

Australian Soil Classification:Mapping Unit:N/AN/APrincipal Profile Form:N/AASC Confidence:Great Soil Group:N/A

Confidence level not specified

Site Disturbance:

Vegetation:

**Surface Coarse Fragments:** 

**Profile Morphology** 

0 - 0.18 m Dark brown (7.5YR3/4-Moist); ; Loam; Moderate grade of structure, <2 mm, Granular; Weak consistence; Many (20 - 50 %), Manganiferous, , ; Many A21 Light brown (7.5YR6/4-Moist); ; Sandy loam; Massive grade of structure; Weak consistence; 0.18 - 0.29 m Common (10 - 20 %), Manganiferous, , ; Common Light yellowish brown (10YR6/4-Moist); ; Sandy loam; Massive grade of structure; Weak A22 0.29 - 0.46 m consistence; Common B21t 0.46 - 0.75 m Strong brown (7.5YR5/6-Moist); , 10YR63, 10-20% , 5-15mm, Distinct; , 5YR58, 10-20% , 5-15mm, Distinct; Silty clay loam; Moderate grade of structure, 10-20 mm, Subangular blocky; Moderate grade of structure, Prismatic; Weak consistence; Few B22t 0.75 - 1 m Yellowish brown (10YR5/6-Moist); ; Silty clay loam; Weak grade of structure, 10-20 mm, Subangular blocky: Firm consistence: B23t 1 - 1.5 m Yellowish brown (10YR5/6-Moist); , 5YR56, 20-50% , 5-15mm, Distinct; , 10YR31; Silty clay; Massive grade of structure; Firm consistence; 1.5 - 2 m Yellowish brown (10YR5/6-Moist); , 10YR62; Silty clay; Massive grade of structure; Firm consistence; Yellowish brown (10YR5/6-Moist); Silty clay; Massive grade of structure; Firm consistence; 2 - 2.55 m 2.55 - 2.7 m Very pale brown (10YR7/4-Moist); White (10YR8/2-Dry); ; Sandy clay; Massive grade of

**Morphological Notes** 

2.7 - 3 m

A1 Coarse fragments are mainly quartz except: 0-18 cm, 50% Mn; 0-29 cm, 20%Mn; 255-

Massive grade of structure; Firm consistence;

Yellowish brown (10YR5/4-Moist); , 7.5YR56, 20-50% , 5-15mm, Distinct; , 10YR62; Silty clay;

270, mostly carbonates.

structure; , Calcareous, , ;

A21 American system, horizon is E1.

A22 American system, horizon is E2. 29-46 and 46-75 cm horizons resemble a fragipan.

B21t American system, horizon is Bt1. Texture is a gravelly SiCL. Fine sand and silt coatings

(E horizon material) on prism faces.

**Project Name: Hardsetting Soils** 

Project Code: Agency Name: Site ID: CP299 HS Observation ID: 1

**CSIRO Division of Soils (ACT)** 

American system, horizon is Bt2. Texture is a gravelly SiCL.
American system, horizon is Bt3.
No horizon given, called sample no. 7.
No horizon given, called sample no. 8.
No horizon given, called sample no. 9. Cemented material; does not slake in water.
No horizon given, called sample no. 10. B23t

## **Observation Notes**

Soil Taxonomy, Aquic Palexeralf, fine.

## **Site Notes**

Project Name: Hardsetting Soils
Project Code: HS Site ID: CP299
Agency Name: CSIRO Division of Soils (ACT) Observation ID: 1

## Laboratory Test Results:

<u>Laboratory</u>	Test Re	sults:										
Depth	pН	1:5 EC		hangeable Mg	Cations K	E: Na	xchangeable Acidity	CEC	ı	ECEC		ESP
m		dS/m	Ou .	···g		Cmol (+)/					%	
0 - 0.18 0.18 - 0.29 0.29 - 0.46 0.46 - 0.75 0.75 - 1 1 - 1.5	5.79A 6.41A 7.03A 7.32A 8.15A 8.48A	0.04A 0.03A 0.02A 0.04A 0.07A 0.1A	1.7E 1.2E 6.7E	0.39 0.42 0.51 3.9 5.6 6.6	0.61 0.11 0.06 0.72 0.83 0.79	0.04 0.05 0.06 0.43 1.6 2.1						
1.5 - 2 2 - 2.55 2.55 - 2.7 2.7 - 3	8.91A 9.31A 9.64A 9.13A	0.21A 0.32A 0.32A 0.22A										
Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Pa GV	rticle CS	Size /	Analysi: Silt	
m	%	%	mg/kg	%	%	%	Mg/m3	GV	03	%	Siit	Clay
0 - 0.18 0.18 - 0.29 0.29 - 0.46 0.46 - 0.75 0.75 - 1 1 - 1.5 1.5 - 2 2 - 2.55 2.55 - 2.7 2.7 - 3		1.15C 0.31C							18D 23D 24D 11D 7D 13D	52 50 56 20 19 21	12 11 12 8 6 6	18 8 9 54 61 57
Depth	COLE		Gravimetric/Volumetric Water Contents						K sat		K unsat	
m		Sat.	0.05 Bar		0.5 Bar /g - m3/m	1 Bar 3	5 Bar 15 I	Bar	mm/	'n	mm/h	
0 - 0.18 0.18 - 0.29 0.29 - 0.46 0.46 - 0.75 0.75 - 1												

0.46 - 0.75 0.75 - 1 1 - 1.5 1.5 - 2 2 - 2.55 2.55 - 2.7 2.7 - 3

**Project Name: Hardsetting Soils** 

HS Site ID: CP299
CSIRO Division of Soils (ACT) Observation ID: 1

Project Code: Agency Name:

## **Laboratory Analyses Completed for this profile**

13A1_AL	Oxalate-extractable aluminium
13A1_FE	Oxalate-extractable iron
13A1_MN	Oxalate-extractable manganese
13A1_SI	Oxalate-extractable silicon
13C1_AL	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_FE	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_SI	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
15C1_CA	Exchangeable bases (Ca2+,Mg2+,Na+,K+) - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_K	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_MG	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_NA	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
1514	CEC measurement - titration of ammonium and chloride ions
3A1	EC of 1:5 soil/water extract

4A1 6B3

EC of 1:5 soil/water extract pH of 1:5 soil/water suspension
Total organic carbon - high frequency induction furnace, infrared Clay (%) - Plummet balance
Coarse sand (%) - Plummet balance
Fine sand (%) - Plummet balance
Silt (%) - Plummet balance P10\_PB\_C P10\_PB\_CS P10\_PB\_FS P10\_PB\_Z