

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM **Site ID:** SSM13 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

#### Site Information

<b>Desc. By:</b> G. W. Geeves	<b>Locality:</b>
<b>Date Desc.:</b> 12/02/91	<b>Elevation:</b> 410 metres
<b>Map Ref.:</b> Sheet No. : 8630 1:50000	<b>Rainfall:</b> No Data
<b>Northing/Long.:</b> 6265600 AMG zone: 55	<b>Runoff:</b> Slow
<b>Easting/Lat.:</b> 665300 Datum: AGD66	<b>Drainage:</b> Moderately well drained

#### Geology

<b>ExposureType:</b> Undisturbed soil core	<b>Conf. Sub. is Parent. Mat.:</b> No Data
<b>Geol. Ref.:</b> Scg	<b>Substrate Material:</b> No Data

#### Land Form

<b>Rel/Slope Class:</b> No Data	<b>Pattern Type:</b> Low hills
<b>Morph. Type:</b> Crest	<b>Relief:</b> No Data
<b>Elem. Type:</b> Hillcrest	<b>Slope Category:</b> No Data
<b>Slope:</b> 2 %	<b>Aspect:</b> 45 degrees

**Surface Soil Condition (dry):** Firm, Trampled

#### Erosion:

#### Soil Classification

<b>Australian Soil Classification:</b>	<b>Mapping Unit:</b> N/A
Eutrophic Red Chromosol	<b>Principal Profile Form:</b> Gn3.12
<b>ASC Confidence:</b>	<b>Great Soil Group:</b> Euchrozem
Confidence level not specified	

**Site Disturbance:** Cultivation. Rainfed

#### Vegetation:

**Surface Coarse Fragments:** No surface coarse fragments

#### Profile Morphology

A11	0 - 0.07 m	Dark reddish brown (5YR3/3-Moist); ; Loam; Moderate grade of structure, 2-5 mm, Polyhedral; 50-100 mm, Prismatic; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Very weak consistence; Non-plastic; Non-sticky; Many, very fine (0-1mm) roots; Common, fine (1-2mm) roots; Abrupt, Irregular change to -
AB1	0.07 - 0.17 m	Dark reddish brown (2.5YR3/4-Moist); ; Clay loam; Weak grade of structure, 2-5 mm, Prismatic; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Common (1-5 per 100mm2) Medium (2-5mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Coarse (>5mm) macropores, Dry; Very firm consistence; Slightly plastic; Non-sticky; Cultivation pan, Uncemented, Continuous, Massive; Common, very fine (0-1mm) roots; Few, fine (1-2mm) roots; Clear, Irregular change to -
B21	0.17 - 0.56 m	Yellowish red (5YR3/6-Moist); ; Light clay; Moderate grade of structure, 5-10 mm, Prismatic; 20-50 mm, Angular blocky; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Medium (2-5mm) macropores, Dry; Firm consistence; Moderately plastic; Slightly sticky; Very few (0 - 2 %), Manganiferous, Medium (2 -6 mm), Nodules, strong, segregations;Common, very fine (0-1mm) roots; Few, fine (1-2mm) roots; Diffuse, Irregular change to -
B22	0.56 - 0.81 m	Yellowish red (5YR4/6-Moist); ; Light clay; Moderate grade of structure, 5-10 mm, Angular blocky; 20-50 mm, Angular blocky; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm2) Medium (2-5mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Firm consistence; Moderately plastic; Slightly sticky; 0-2%, fine gravelly, 2-6mm, rounded, dispersed, coarse fragments; Few cutans, <10% of ped faces or walls coated, distinct; Very few (0 - 2 %), Manganiferous, Medium (2 -6 mm), Nodules, strong, segregations;Few, very fine (0-1mm) roots; Diffuse, Irregular change to -

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM                      **Site ID:** SSM13                      **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

B3            0.81 - 0.82 m    Strong brown (7.5YR5/6-Moist); Mottles, 10YR56, 10-20% ; Light clay; Moderate grade of structure, 2-5 mm, Subangular blocky; 20-50 mm, Angular blocky; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm<sup>2</sup>) Medium (2-5mm) macropores, Dry; Firm consistence; Moderately plastic; Slightly sticky; 10-20%, medium gravelly, 6-20mm, rounded, dispersed, coarse fragments; Common cutans, 10-50% of ped faces or walls coated, distinct; Few (2 - 10 %), Manganiferous, Medium (2 -6 mm), Nodules, strong, segregations; Few, very fine (0-1mm) roots;

**Morphological Notes**

A11                      AP horizon

**Observation Notes**

Landuse also improved pasture

**Site Notes**

WOODSTOCK CROPPING

**Observation ID: 1**

[illegible]

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM **Site ID:** SSM13 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

13A1_AL	Oxalate-extractable aluminium
13A1_FE	Oxalate-extractable iron
13A1_MN	Oxalate-extractable manganese
13A1_SI	Oxalate-extractable silicon
13C1_AL	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_FE	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_MN	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_SI	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
14H1_CA	Soluble bases/SE (Ca,Mg,K,Na)
14H1_K	Soluble bases/SE (Ca,Mg,K,Na)
14H1_MG	Soluble bases/SE (Ca,Mg,K,Na)
14H1_NA	Soluble bases/SE (Ca,Mg,K,Na)
15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4B1	pH of 1:5 soil/0.01M calcium chloride extract - direct
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_CF_C	Clay (%) - Coventry and Fett pipette method
P10_CF_Z	Silt (%) - Coventry and Fett pipette method
P3A1	Bulk density - g/cm3
P3B3VLc001	0.01 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc003	0.03 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc005	0.05 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc01	0.1 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc03	0.3 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLcSAT	Saturated Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLd15	15 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd3	3 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd5	5 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P6_LP	Dispersion Index (Loveday and Pyle, 1973)
PWS1-2mm	1000-2000 micron fraction (%) - Wet Sieving after chemical dispersion
PWS20-63	20-63 micron fraction (%) - Wet Sieving after chemical dispersion
PWS212-425	212-425 micron fraction (%) - Wet Sieving after chemical dispersion
PWS425-1mm	425-1000 micron fraction (%) - Wet Sieving after chemical dispersion
PWS63-212	63-212 micron fraction (%) - Wet Sieving after chemical dispersion