

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM **Site ID:** LS39 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Site Information**

<b>Desc. By:</b>	McKane, Dermot	<b>Locality:</b>	
<b>Date Desc.:</b>	15/07/93	<b>Elevation:</b>	219 metres
<b>Map Ref.:</b>	Sheet No. : 8327 DGPS	<b>Rainfall:</b>	No Data
<b>Northing/Long.:</b>	6106915 AMG zone: 55	<b>Runoff:</b>	Moderately rapid
<b>Easting/Lat.:</b>	545386 Datum: AGD66	<b>Drainage:</b>	Moderately well drained

**Geology**

<b>ExposureType:</b>	Undisturbed soil core	<b>Conf. Sub. is Parent. Mat.:</b>	No Data
<b>Geol. Ref.:</b>	No Data	<b>Substrate Material:</b>	Quartz

**Land Form**

<b>Rel/Slope Class:</b>	No Data	<b>Pattern Type:</b>	No Data
<b>Morph. Type:</b>	Mid-slope	<b>Relief:</b>	No Data
<b>Elem. Type:</b>	Hillslope	<b>Slope Category:</b>	No Data
<b>Slope:</b>	8 %	<b>Aspect:</b>	45 degrees

**Surface Soil Condition (dry):** Firm

**Erosion:**

**Soil Classification**

<b>Australian Soil Classification:</b>		<b>Mapping Unit:</b>	N/A
Mottled Mesotrophic Brown Chromosol Medium Non-gravelly Loamy Clayey Moderately deep		<b>Principal Profile Form:</b>	N/A
<b>ASC Confidence:</b>		<b>Great Soil Group:</b>	N/A
Confidence level not specified			

**Site Disturbance:** Extensive clearing, for example poisoning, ringbarking

**Vegetation:**

**Surface Coarse Fragments:**

**Profile Morphology**

A1	0 - 0.1 m	Dark reddish brown (5YR3/4-Moist); ; Coarse sandy loam; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Weak consistence; 0-2%, fine gravelly, 2-6mm, subangular platy, dispersed, coarse fragments; Field pH 6 (Raupach); Few, very fine (0-1mm) roots;
B21	0.1 - 0.5 m	Red (2.5YR4/6-Moist); ; Light clay; Weak grade of structure, 5-10 mm, Subangular blocky; Smooth-ped fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Firm consistence; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, coarse fragments; Field pH 6 (Raupach); Few, very fine (0-1mm) roots;
B22	0.5 - 0.75 m	Strong brown (7.5YR5/8-Moist); Mottles, 2-10% , Distinct; Light clay; Strong grade of structure, 2-5 mm, Subangular blocky; Smooth-ped fabric; Dry; Very firm consistence; 2-10%, fine gravelly, 2-6mm, subrounded, dispersed, coarse fragments; Field pH 6.5 (Raupach);
R	0.75 - 0.8 m	Rock

**Morphological Notes**

**Observation Notes**

**Site Notes**

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM      **Site ID:** LS39      **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Test Results:**

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Exchangeable Na	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg	Acidity		%
0 - 0.1	6.05A	0.083A	2.1J	1.2	0.87	0.06	7.2I		0.83
0.1 - 0.5	6.48A	0.032A	4.6J	3.8	0.94	0.08	12I		0.67
0.5 - 0.75	6.89A	0.03A	4.9J	6.7	0.88	0.07	14.5I		0.48

Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk	Particle		Size	Analysis	
m	%	C	P	P	N	K	Density	GV	CS	FS	Silt	Clay
		%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.1		1.69C							82I		4	14
0.1 - 0.5		0.62C							50I		12	38
0.5 - 0.75		0.32C							50I		12	38

[illegible]

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM    **Site ID:** LS39    **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15L1	Base saturation percentage (BSP)
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_NR_C	Clay (%) - Not recorded
P10_NR_S	Sand (%) - Not recorded
P10_NR_Z	Silt (%) - Not recorded