Project Name: CAN

Project Code: CAN Site ID: C542 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By: J. Loveday Locality: Tubbo site 14A-AM

 Date Desc.:
 01/12/61
 Elevation:
 150 metres

 Map Ref.:
 Sheet No.: 8128
 1:100000
 Rainfall:
 410

 Northing/Long.:
 146.0872222222222
 Runoff:
 Very slow

Easting/Lat.: -34.6663888888889 Drainage: Moderately well drained

<u>Geology</u>

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Porous, Unconsolidated material

(unidentified)

Land Form

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Hardsetting, Surface crust

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/AHaplic Hypocalcic Red ChromosolPrincipal Profile Form:Dr1.33

ASC Confidence: Great Soil Group: Red-brown earth

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.13 m Brown (7.5YR5/4-Dry); ; Fine sandy loam (Heavy); Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Field pH 5.5 (pH meter);
0.13 - 0.2 m Pinkish grey (7.5YR6/2-Dry); ; Sandy loam; Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence;
0.2 - 0.38 m Dark reddish brown (5YR3/4-Dry); , 5YR33, 20-50%; , 20-50%; Light medium clay; 10-20 mm, Angular blocky; 100-200 mm, Prismatic; Fine, (0 - 5) mm crack; Very firm consistence; Field pH 7.6 (pH meter); Wavy change to 0.38 - 0.45 m Reddish brown (5YR4/4-Moist); ; Light medium clay; Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence;

0.45 - 0.6 m Brown (7.5YR4/4-Moist); ; Light clay; Massive grade of structure; Very firm consistence; Very few

(0 - 2 %), Calcareous, , Concretions; 0.6 - 0.91 m Brown (7.5YR4/4-Moist); , 2.5Y72, 10-20%; , 5YR46, 10-20%; Light clay; Massive grade of

structure; Weak consistence; Very few (0 - 2 %), Calcareous, , Concretions;

0.91 - 1.27 m Light brownish grey (2.5Y6/2-Moist); , 7.5YR44; Light medium clay; 10-20 mm, Angular blocky; Weak consistence; Few (2 - 10 %), Calcareous, , Concretions;

Morphological Notes

Observation Notes

SHINY PED FACES >60CM

Site Notes

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C542 CSIRO Division of Soils (NSW) Observation ID: 1

Laboratory Test Results:

Depth	рН	1:5 EC		hangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	E	ECEC	E	SP
m		dS/m	Oa i	wg	K	Cmol (-					%	, D
0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3	5.2A 5.6A 7.6A	0.06A 0.03A 0.06A	2.5K 10.6K	1.2 10	0.32 0.82	0.07	4.4E 3.8E			8.5B 26.7B		
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Tota K %	al Bulk Density Mg/m3	P: GV	article : CS	Size / FS %	Analysis Silt (lay
0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3		0.41F							17D 17D 7D	54 55 26	16	13 11 59
Depth m	COLE	Gravimetric/Volumetric Water Contents Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar g/g - m3/m3							K sa		K unsat mm/h	

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C542 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile

15_NR_CA
Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15_NR_K
Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15_NR_MG
Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15_NR_NA
Exch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2_LOI Loss on Ignition (%)
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6_DC Organic carbon (%) - Dry combustion
P10_PB_C Clay (%) - Plummet balance
P10_PB_CS Coarse sand (%) - Plummet balance
P10_PB_FS Fine sand (%) - Plummet balance
P10_PB_Z Silt (%) - Plummet balance