Project Name: CAN

Project Code: CAN Site ID: C545 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By: J. Loveday Locality: Tubbo site 15A-VM

 Date Desc.:
 01/12/61
 Elevation:
 150 metres

 Map Ref.:
 Sheet No.: 8128
 1:100000
 Rainfall:
 410

 Northing/Long.:
 146.087222222222
 Runoff:
 Very slow

Easting/Lat.: -34.6663888888889 Drainage: Moderately well drained

Geology

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Porous, Unconsolidated material

(unidentified)

Land Form

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Surface crust, Hardsetting

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/AHaplic Hypocalcic Red ChromosolPrincipal Profile Form:Dr1.33

ASC Confidence: Great Soil Group: Red-brown earth

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.13 m Brown (7.5YR4/4-Dry); ; Fine sandy loam (Heavy); Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Field pH 5.2 (pH meter);
0.13 - 0.2 m Pinkish grey (7.5YR6/2-Dry); ; Sandy loam; Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence;
0.2 - 0.38 m Dark reddish brown (5YR3/4-Dry); , 5YR33, 20-50%; , 20-50%; Light medium clay; 10-20 mm, Angular blocky; 100-200 mm, Prismatic; Fine, (0 - 5) mm crack; Very firm consistence; Field pH

7.8 (pH meter);
0.38 - 0.45 m Reddish brown (5YR4/4-Moist); ; Light medium clay; Massive grade of structure; Fine, (0 - 5) mm

crack; Very firm consistence;

0.45 - 0.6 m Brown (7.5YR4/4-Moist); ; Light clay; Massive grade of structure; Very firm consistence;

0.6 - 0.91 m Brown (7.5YR4/4-Moist); , 2.5Y72, 10-20%; , 5YR46, 10-20%; Light clay; Massive grade of structure; Weak consistence; Very few (0 - 2 %), Calcareous, , Concretions;

0.91 - 1.27 m Light brownish grey (2.5Y6/2-Moist); , 7.5YR44; Light medium clay; 10-20 mm, Angular blocky;

Weak consistence; Few (2 - 10 %), Calcareous, , Concretions;

Morphological Notes

Observation Notes

SHINY PED FACES >60CM

Site Notes

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C545 CSIRO Division of Soils (NSW) Observation ID: 1

Laboratory Test Results:

Depth	рН	1:5 EC		hangeable Mg	Cations K	Na	Exchangeable Acidity	CEC		ECEC		ESP
m		dS/m	Oa .	wig	K	Cmol (+)						%
0 - 0.025 0.025 - 0.1 0.1 - 0.2	5.3A 5.2A	0.06A 0.06A	2.9K	1.2	0.36	0.01	5E			9.5B		
0.2 - 0.3	7.8A	0.09A	11.4K	11.4	0.91	1.7	4E			29.4B		
Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Pa GV	rticle CS	Size FS	Analysi Silt	
m	%	%	mg/kg	%	%	%	Mg/m3			%		-
0 - 0.025 0.025 - 0.1 0.1 - 0.2		0.51F					1.49 1.67 1.85		15D 16D		_	
0.2 - 0.3							1.52		6D	23	4	64
Depth	COLE	Sat	Gravimetric/Volumetric Water Contents K sat Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar							at	K unsa	t
m		Sal.	0.05 Bai		g - m3/m3		3 Bai 13 i	oai	mm	/h	mm/h	
0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3				13.9H 13.9H 11.6H 26.9H			5.7 51 4.3 15.	D BD				

Project Name: CAN

Project Code: CAN Site ID: C545 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile

15_NR_CAExch. basic cations (Ca++) - meq per 100g of soil - Not recorded15_NR_KExch. basic cations (K++) - meq per 100g of soil - Not recorded15_NR_MGExch. basic cations (Mg++) - meq per 100g of soil - Not recorded15_NR_NAExch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2_LOI Loss on Ignition (%)
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6_DC Organic carbon (%) - Dry combustion
P10_PB_C Clay (%) - Plummet balance
P10_PB_CS Coarse sand (%) - Plummet balance
P10_PB_Z Fine sand (%) - Plummet balance
Silt (%) - Plummet balance

P3A1_CLOD Bulk density g/cm3 - Clods at 0.1 Bar moisture content (McIntyre & Stirk, 1954, Aust. J. Agric. Res.

5:291-6)

P3B1GV_15 15 BAR Moisture g/g - Gravimetric of ground sample (<2mm) using pressure plate P3B5GV_01 0.1 BAR Moisture g/g - Gravimetric of soil clods (CSIRO Div. Of Soils TM 25/66)