Project Name: CAN
Project Code: CAN **Site ID:** C554 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By:	J. Loveday	**Locality:**	Tubbo site 17A-AM
Date Desc.:	01/12/61	**Elevation:**	150 metres
Map Ref.:	Sheet No. : 8128 1:100000	**Rainfall:**	410
Northing/Long.:	146.034444444444	**Runoff:**	Very slow
Easting/Lat.:	-34.6666666666667	**Drainage:**	Imperfectly drained

Geology

ExposureType:	Soil pit	**Conf. Sub. is Parent. Mat.:**	No Data
Geol. Ref.:	No Data	**Substrate Material:**	Unconsolidated material (unidentified)

Land Form

Rel/Slope Class:	Level plain <9m <1%	**Pattern Type:**	Alluvial plain
Morph. Type:	Flat	**Relief:**	No Data
Elem. Type:	Plain	**Slope Category:**	Level
Slope:	<1 %	**Aspect:**	0 degrees

Surface Soil Condition (dry): Surface crust, Firm

Erosion:

Soil Classification

Australian Soil Classification:
Sodic Hypocalcic Red Chromosol
ASC Confidence:
All necessary analytical data are available.

Mapping Unit: N/A
Principal Profile Form: Dr1.13
Great Soil Group: Red-brown earth

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.1 m	Yellowish brown (10YR5/4-Dry); ; Loam; , Angular blocky; Massive grade of structure; Firm consistence; Field pH 6 (pH meter);
0.1 - 0.2 m	Dark reddish brown (5YR3/4-Dry); ; Medium heavy clay; , Angular blocky; Massive grade of structure; Medium, (5 - 10) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, , Concretions;
0.2 - 0.6 m	Yellowish red (5YR4/5-Dry); ; Medium heavy clay; , Angular blocky; Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, , Concretions; Field pH 7.8 (pH meter);
0.6 - 1.07 m	Brown (7.5YR4/4-Moist); ; Medium heavy clay; , Angular blocky; Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, , Concretions;
1.07 - 1.27 m	Brown (7.5YR4/4-Moist); , 5Y62; Medium heavy clay; , Angular blocky; Massive grade of structure; Weak consistence;

Morphological Notes

Observation Notes

BLACK SPECKLING 107-127CM

Site Notes

COLEAMBALLY

Project Name: CAN
Project Code: CAN **Site ID:** C554 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Laboratory Test Results:

Depth	pH	1:5 EC	Exchangeable Cations				Exchangeable Acidity	CEC	ECEC	ESP
			Ca	Mg	K	Na				
m		dS/m	Cmol (+)/kg							%
0 - 0.025	5.9A	0.12A	5.5K	3.1	0.49	0.08	5.1E		14.3B	
0.025 - 0.1	6.1A	0.03A	4.2K	3.3	0.51	0.11	4.2E		12.3B	
0.1 - 0.2										
0.2 - 0.3	7.8A	0.09A	13.4K	16.4	1.1	2.2	4.1E		37.2B	

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle Size Analysis				
								GV	CS	FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.025		0.96F							15D	42	19	24
0.025 - 0.1		0.55F							16D	41	20	20
0.1 - 0.2												
0.2 - 0.3									6D	15	6	72

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	
m		g/g - m3/m3						mm/h	mm/h
0 - 0.025									
0.025 - 0.1									
0.1 - 0.2									
0.2 - 0.3									

Project Name: **CAN**
Project Code: **CAN** **Site ID:** **C554** **Observation ID:** **1**
Agency Name: **CSIRO Division of Soils (NSW)**

Laboratory Analyses Completed for this profile

15_NR_CA	Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15_NR_K	Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15_NR_MG	Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15_NR_NA	Exch. basic cations (Na++) - meq per 100g of soil - Not recorded
15G1_H	Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0
15J_H	Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)
2_LOI	Loss on Ignition (%)
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
5A2	Chloride - 1:5 soil/water extract, automated colour
6_DC	Organic carbon (%) - Dry combustion
P10_PB_C	Clay (%) - Plummet balance
P10_PB_CS	Coarse sand (%) - Plummet balance
P10_PB_FS	Fine sand (%) - Plummet balance
P10_PB_Z	Silt (%) - Plummet balance