Project Name: CAN

Project Code: CAN Site ID: C556 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

**Site Information** 

Desc. By: J. Loveday Locality: Tubbo site 17B-AM

 Date Desc.:
 01/12/61
 Elevation:
 150 metres

 Map Ref.:
 Sheet No.: 8128
 1:100000
 Rainfall:
 410

 Northing/Long.:
 146.034444444444
 Runoff:
 Very slow

Easting/Lat.: -34.666666666667 Drainage: Imperfectly drained

**Geology** 

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Slightly porous, Unconsolidated material

(unidentified)

**Land Form** 

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Surface crust, Firm

**Erosion:** 

**Soil Classification** 

Australian Soil Classification:Mapping Unit:N/ASodic Hypocalcic Red ChromosolPrincipal Profile Form:Dr1.13

ASC Confidence: Great Soil Group: Red-brown earth

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. \*Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

**Profile Morphology** 

0 - 0.1 m Yellowish brown (10YR5/4-Dry); ; Loam; , Subangular blocky; Massive grade of structure; Firm

consistence; Field pH 5.9 (pH meter);

0.1 - 0.2 m Dark reddish brown (5YR3/4-Dry); ; Medium heavy clay; , Angular blocky; Massive grade of

structure; Medium, (5 - 10) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, ,

Concretions;

0.2 - 0.6 m Yellowish red (5YR4/5-Dry); ; Medium heavy clay; , Angular blocky; Massive grade of structure;

Fine, (0 - 5) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, , Concretions;

Field pH 7.4 (pH meter);

0.6 - 1.07 m Brown (7.5YR4/4-Moist); ; Medium heavy clay; , Angular blocky; Massive grade of structure; Fine,

(0 - 5) mm crack; Very firm consistence; Very few (0 - 2 %), Calcareous, Concretions;

1.07 - 1.27 m Brown (7.5YR4/4-Moist); , 5Y62; Medium heavy clay; , Angular blocky; Massive grade of

structure; Weak consistence;

## **Morphological Notes**

**Observation Notes** 

**BLACK SAPECKLING 107-127CM** 

**Site Notes** 

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C556 CSIRO Division of Soils (NSW) Observation ID: 1

## **Laboratory Test Results:**

Depth	рН	1:5 EC		hangeable Viq	Cations K	Na	Exchangeable Acidity	CEC	E	CEC	ES	P
m		dS/m	- ·	9		Cmol (-	•				%	
0 - 0.025 0.025 - 0.1 0.1 - 0.2	5.7A 6A	0.12A 0.03A	5K 4.3K	2.9 2.9	0.49 0.53	0.17 0.15	5.8E 5.2E			4.4B 3.1B		
0.2 - 0.3	7.4A	0.12A	13.4K	15.5	0.8	2.5	4.6E		3	6.8B		
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Tota K %	l Bulk Density Mg/m3	Pa GV	CS I	Size A FS %	nalysis Silt Cl	ay
0 - 0.025 0.025 - 0.1 0.1 - 0.2		0.79F 0.65F							15D 15D	39 37	22 24	24 22
0.2 - 0.3									8D	12	8	69
Depth	COLE	Gravimetric/Volumetric Water Contents Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar							K sat	ŀ	C unsat	
m		g/g - m3/m3										

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C556 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

## **Laboratory Analyses Completed for this profile**

15\_NR\_CA
Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15\_NR\_K
Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15\_NR\_MG
Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15\_NR\_NA
Exch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1\_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2\_LOI Loss on Ignition (%)
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6\_DC Organic carbon (%) - Dry combustion
P10\_PB\_C Clay (%) - Plummet balance
P10\_PB\_CS Coarse sand (%) - Plummet balance
P10\_PB\_FS Fine sand (%) - Plummet balance
P10\_PB\_Z Silt (%) - Plummet balance