Project Name: CAN

Project Code: CAN Site ID: C560 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

**Site Information** 

Desc. By: J. Loveday Locality: Tubbo site 18B-AM

Easting/Lat.: -34.7666666666667 Drainage: Imperfectly drained

**Geology** 

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Slightly porous, Unconsolidated material

(unidentified)

**Land Form** 

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Surface crust, Cracking

**Erosion:** 

**Soil Classification** 

Australian Soil Classification:Mapping Unit:N/ASodic Calcic Red ChromosolPrincipal Profile Form:Dr1.13

ASC Confidence: Great Soil Group: Red-brown earth

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. \*Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

**Profile Morphology** 

0 - 0.1 m Brown (7.5YR5/4-Dry); ; Clay loam; 20-50 mm, Subangular blocky; Massive grade of structure;

Medium, (5 - 10) mm crack; Firm consistence; Field pH 5.8 (pH meter); Wavy change to -

0.1 - 0.25 m Dark reddish brown (5YR3/4-Dry); ; Medium heavy clay; 20-50 mm, Angular blocky; Massive

grade of structure; Fine, (0 - 5) mm crack; Very firm consistence;

0.25 - 0.76 m Dark reddish brown (5YR3/4-Dry); ; Medium heavy clay; 20-50 mm, Angular blocky; Massive

grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Few (2 - 10 %), Calcareous, ,

Concretions; Field pH 8.2 (pH meter);

0.76 - 1.27 m Brown (7.5YR4/3-Moist); , 7.5YR55, 20-50%; , 20-50%; Medium heavy clay; 10-20 mm, Angular

blocky; Fine, (0 - 5) mm crack; Weak consistence; Very few (0 - 2 %), Calcareous, , Concretions;

Very few (0 - 2 %), Gypseous, Fine (0 - 2 mm), Crystals;

## **Morphological Notes**

## **Observation Notes**

BLACK STAINING:OLIVE GREY MOTTLING AND SHINY PED FACES 76-127CM

**Site Notes** 

COLEAMBALLY

CAN

CAN Site ID: C560 CSIRO Division of Soils (NSW) Observation ID: 1

Project Name: Project Code: Agency Name:

## **Laboratory Test Results:**

| Depth                    | рН           | 1:5 EC   |             | hangeable<br>Vig | Cations<br>K         | Na I       | Exchangeable<br>Acidity | CEC      | E    | CEC          | ES                 | Р   |
|--------------------------|--------------|--|-------------|------------------|----------------------|------------|-------------------------|----------|------|--------------|--------------------|-----|
| m                        |              | dS/m   |             | J                |                      | Cmol (+    | )/kg                    |          |      |              | %                  |     |
| 0 - 0.025<br>0.025 - 0.1 | 5.4A<br>5.9A | 0.18A<br>0.06A   | 4.1K        | 2.7              | 0.65                 | 0.15       | 5.7E                    |          | 1.   | 3.3B         |                    |     |
| 0.023 - 0.1              | 3.9A         | 0.00A  | 4.11        | 2.1              | 0.03                 | 0.15       | 3.7L                    |          | 1,   | 3.30         |                    |     |
| 0.2 - 0.3                | 8.2A         | 0.15A  | 14.2K       | 17.3             | 1.4                  | 3.6        | 2E                      |          | 38   | 8.5B         |                    |     |
|                          |              |  |             |                  |                      |            |                         |          |      |              |                    |     |
| Depth                    | CaCO3        | Organic<br>C   | Avail.<br>P | Total<br>P       | Total<br>N           | Total<br>K | Bulk<br>Density         | Pa<br>GV |      | ize Aı<br>FS | nalysis<br>Silt Cl | 21/ |
| m                        | %            | %  | mg/kg       | %                | %                    | %          | Mg/m3                   | GV       |      | %            | Siit Ci            | ау  |
| 0 - 0.025                |              |  |             |                  |                      |            |                         |          | 21D  | 42           | 20                 | 17  |
| 0.025 - 0.1<br>0.1 - 0.2 |              | 0.82F  |             |                  |                      |            |                         |          | 19D  | 42           | 18                 | 18  |
| 0.2 - 0.3                | 0.02         | A  |             |                  |                      |            |                         |          | 7D   | 17           | 7                  | 65  |
| Depth                    | COLE         | LE Gravimetric/Volumetric Water Contents K sat K unsat |             |                  |                      |            |                         |          |      |              |                    |     |
| m                        |              | Sat.   | 0.05 Bar    | 0.1 Bar<br>g/    | 0.5 Bar<br>g - m3/m3 | 1 Bar<br>3 | 5 Bar 15                | Bar      | mm/h |              | mm/h               |     |

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C560 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

## **Laboratory Analyses Completed for this profile**

15\_NR\_CA
Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15\_NR\_K
Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15\_NR\_MG
Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15\_NR\_NA
Exch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1\_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

19A1 Carbonates - rapid titration
2\_LOI Loss on Ignition (%)
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6\_DC Organic carbon (%) - Dry combustion

P10\_PB\_C
P10\_PB\_CS
Clay (%) - Plummet balance
Coarse sand (%) - Plummet balance
P10\_PB\_FS
P10\_PB\_Z
Clay (%) - Plummet balance
Fine sand (%) - Plummet balance
Silt (%) - Plummet balance