CAN **Project Name:**

C566 Observation ID: 1 **Project Code:** CAN Site ID:

CSIRO Division of Soils (NSW) Agency Name:

Site Information

Locality: Desc. By: J. Loveday Tubbo site 20A-AM

Date Desc.: Elevation: 01/12/61 150 metres Map Ref.: Sheet No.: 8128 1:100000 Rainfall: 410 Northing/Long.: Runoff: 146.07527777778 Very slow

-34.7141666666667 Moderately well drained Easting/Lat.: Drainage:

Geology

ExposureType: Conf. Sub. is Parent. Mat.: Soil pit No Data

Geol. Ref.: Substrate Material: Porous, Unconsolidated material No Data

(unidentified)

Land Form

Rel/Slope Class: Level plain <9m <1% Pattern Type: Alluvial plain Morph. Type: Flat Relief: No Data Elem. Type: Slope Category: Plain Level Aspect: 0 degrees Slope: <1 %

Surface Soil Condition (dry): Firm

Erosion:

Soil Classification

Australian Soil Classification: **Mapping Unit:** N/A Mottled Calcic Brown Chromosol **Principal Profile Form:** Db2.33

Red-brown earth **ASC Confidence: Great Soil Group:**

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded Vegetation:

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.15 m Greyish brown (10YR5/2-Dry); ; Loamy sand; Massive grade of structure; Firm consistence; Field pH 5.8 (pH meter); Wavy change to -Light brownish grey (10YR6/2-Dry); , 10YR72; Loamy sand; Massive grade of structure; Very firm 0.15 - 0.2 m consistence: 0.2 - 0.3 m Dark brown (10YR3/3-Dry); ; Medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic; Rigid consistence; Field pH 7.5 (pH meter); 0.3 - 0.45 m Dark brown (10YR3/3-Dry); , 7.5YR44; Medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic: 0.45 - 0.76 m Brown (7.5YR4/4-Dry); , 10YR33; , 10YR54; Sandy medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic; Very few (0 - 2 %), Calcareous, , ;

0.76 - 1.22 m Greyish brown (2.5Y5/2-Moist); , 10YR54; Sandy medium clay; , Angular blocky; Few (2 - 10 %),

Calcareous. . Concretions:

; Sandy medium clay; , Angular blocky; Few (2 - 10 %), Calcareous, , Concretions; Few (2 - 10 %), Gypseous, Fine (0 - 2 mm), Crystals; 1.22 - 1.32 m

Morphological Notes

Observation Notes

TOP OF PRISMS SL. DOMED & UNDULATING WITH BLEACHED SANDY CAPPINGS: AGGREGATES WITH BLACK STAINED FACES (20-30CM)

Site Notes

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C566 CSIRO Division of Soils (NSW) Observation ID: 1

Laboratory Test Results:

Depth	рН	1:5 EC		hangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	E	CEC	E	SP
m		dS/m	Oa I	wig	K	Cmol (-	•				%	•
0 - 0.025 0.025 - 0.1	5.7A 5.9A	0.09A 0.03A	4.4K	1	0.47		4.6E		1	10.5B		
0.1 - 0.2 0.2 - 0.3	7.5A	0.06A	12.1K	7.2	0.97	0.87	2.4E		2	23.5B		
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Tota K %	ll Bulk Density Mg/m3	Pa GV		Size A FS %	nalysis Silt C	lay
0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3		0.77F							50D 50D 30D	27 27 15	11 17 4	11 4 47
Depth m	COLE	Gravimetric/Volumetric Water Contents Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar g/g - m3/m3							K sat		K unsat mm/h	

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C566 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile

15_NR_CAExch. basic cations (Ca++) - meq per 100g of soil - Not recorded15_NR_KExch. basic cations (K++) - meq per 100g of soil - Not recorded15_NR_MGExch. basic cations (Mg++) - meq per 100g of soil - Not recorded15_NR_NAExch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2A1 Air-dry moisture content
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6_DC Organic carbon (%) - Dry combustion
P10_PB_C Clay (%) - Plummet balance
P10_PB_CS Coarse sand (%) - Plummet balance
P10_PB_FS Fine sand (%) - Plummet balance
P10_PB_Z Silt (%) - Plummet balance