Project Name: CAN
Project Code: CAN **Site ID:** C568 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By: J. Loveday
Date Desc.: 01/12/61
Map Ref.: Sheet No. : 8128 1:100000
Northing/Long.: 146.075277777778
Easting/Lat.: -34.7141666666667
Locality: Tubbo site 20B-AM
Elevation: 150 metres
Rainfall: 410
Runoff: Very slow
Drainage: Moderately well drained

Geology

ExposureType: Soil pit
Geol. Ref.: No Data
Conf. Sub. is Parent. Mat.: No Data
Substrate Material: Porous, Unconsolidated material (unidentified)

Land Form

Rel/Slope Class: Level plain <9m <1%
Morph. Type: Flat
Elem. Type: Plain
Slope: <1 %
Pattern Type: Alluvial plain
Relief: No Data
Slope Category: Level
Aspect: 0 degrees

Surface Soil Condition (dry): Firm

Erosion:

Soil Classification

Australian Soil Classification:
Mottled Calcic Brown Chromosol
ASC Confidence:
All necessary analytical data are available.
Mapping Unit: N/A
Principal Profile Form: Db2.33
Great Soil Group: Red-brown earth

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.15 m	Greyish brown (10YR5/2-Dry); ; Loamy sand; Massive grade of structure; Firm consistence; Field pH 5.9 (pH meter);
0.15 - 0.2 m	Light brownish grey (10YR6/2-Dry); , 10YR72; Loamy sand; Massive grade of structure; Very firm consistence;
0.2 - 0.3 m	Dark brown (10YR3/3-Dry); ; Medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic; Very strong consistence; Field pH 7.6 (pH meter);
0.3 - 0.45 m	Dark brown (10YR3/3-Dry); , 7.5YR44; Medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic;
0.45 - 0.76 m	Brown (7.5YR4/4-Dry); , 10YR33; , 10YR54; Sandy medium clay; 50-100 mm, Angular blocky; 200-500 mm, Prismatic; Very few (0 - 2 %), Calcareous, , ;
0.76 - 1.22 m	Greyish brown (2.5Y5/2-Moist); , 10YR44; Sandy medium clay; , Angular blocky; Few (2 - 10 %), Calcareous, , Concretions;
1.22 - 1.32 m	; Sandy medium clay; , Angular blocky; Few (2 - 10 %), Calcareous, , Concretions; Few (2 - 10 %), Gypseous, Fine (0 - 2 mm), Crystals;

Morphological Notes

Observation Notes

BURNT SOIL 15-20CM:PRISM TOPS SL. DOMED & UNDULATING WITH BLEACHED SANDY CAPPINGS:20-30CM FRAG'T @ BL. STAINED FACES

Site Notes

COLEAMBALLY

Project Name: CAN
Project Code: CAN **Site ID:** C568 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Laboratory Test Results:

Depth	pH	1:5 EC	Exchangeable Cations				Exchangeable Acidity	CEC	ECEC	ESP
			Ca	Mg	K	Na				
m		dS/m	Cmol (+)/kg							%
0 - 0.025	5.6A	0.12A								
0.025 - 0.1	6A	0.06A	5.4K	1.4	0.57		4.5E		11.9B	
0.1 - 0.2										
0.2 - 0.3	7.6A	0.06A	13.1K	7.7	0.84	0.99	2.7E		25.3B	

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle Size Analysis				
								GV	CS	FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.025									49D	31	10	12
0.025 - 0.1		0.87F							50D	28	13	11
0.1 - 0.2												
0.2 - 0.3									30D	16	9	45

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar		
m		g/g - m3/m3							mm/h	mm/h
0 - 0.025										
0.025 - 0.1										
0.1 - 0.2										
0.2 - 0.3										

Project Name: **CAN**
Project Code: **CAN** **Site ID:** **C568** **Observation ID:** **1**
Agency Name: **CSIRO Division of Soils (NSW)**

Laboratory Analyses Completed for this profile

15_NR_CA	Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded
15_NR_K	Exch. basic cations (K++) - meq per 100g of soil - Not recorded
15_NR_MG	Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded
15_NR_NA	Exch. basic cations (Na++) - meq per 100g of soil - Not recorded
15G1_H	Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0
15J_H	Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)
2A1	Air-dry moisture content
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
5A2	Chloride - 1:5 soil/water extract, automated colour
6_DC	Organic carbon (%) - Dry combustion
P10_PB_C	Clay (%) - Plummet balance
P10_PB_CS	Coarse sand (%) - Plummet balance
P10_PB_FS	Fine sand (%) - Plummet balance
P10_PB_Z	Silt (%) - Plummet balance