Project Name: CAN

Project Code: CAN Site ID: C570 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

**Site Information** 

Desc. By: J. Loveday Locality: Tubbo site 21A-AM

 Date Desc.:
 01/12/61
 Elevation:
 150 metres

 Map Ref.:
 Sheet No.: 8128
 1:100000
 Rainfall:
 410

 Northing/Long.:
 146.074166666667
 Runoff:
 Very slow

Easting/Lat.: -34.687777777778 Drainage: Imperfectly drained

Geology

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Slightly porous, Unconsolidated material

(unidentified)

**Land Form** 

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:0 degrees

Surface Soil Condition (dry): Cracking, Self-mulching

**Erosion:** 

**Soil Classification** 

Australian Soil Classification:Mapping Unit:N/AEpicalcareous Self-Mulching Grey VertosolPrincipal Profile Form:Ug5.28ASC Confidence:Great Soil Group:Grey clay

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. \*Species includes - None recorded

**Surface Coarse Fragments:** No surface coarse fragments

**Profile Morphology** 

0 - 0.1 m Grey (5Y5/1-Dry); ; Medium heavy clay; 2-5 mm, Granular; 20-50 mm, Angular blocky; Medium, (5

- 10) mm crack; Very few (0 - 2%), Calcareous, , Concretions; Field pH 6.2 (pH meter);

0.1 - 0.76 m Grey (5Y5/1-Dry); ; Medium heavy clay; 20-50 mm, Angular blocky; 200-500 mm, Prismatic;

Medium, (5 - 10) mm crack; Very strong consistence; Few (2 - 10 %), Calcareous, , Concretions;

Field pH 7.5 (pH meter);

0.76 - 1.27 m Grey (5Y5/1-Dry); , 5Y52; Medium heavy clay; , Angular blocky; Fine, (0 - 5) mm crack; Weak

consistence; Very few (0 - 2 %), Calcareous, , Concretions;

**Morphological Notes** 

**Observation Notes** 

POLYGONAL CRACKING PATTERN:SHINY AGGREGATE FACES >10CM:OCCASIONALLY SLICKEN SIDES

Site Notes

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C570 CSIRO Division of Soils (NSW) Observation ID: 1

## **Laboratory Test Results:**

Depth	рН	1:5 EC		nangeable ⁄lg	Cations K	Na	Exchangeable Acidity	CEC		ECEC	E	SP
m		dS/m	oa i	"g	K	Cmol (	•				9	6
0 - 0.025 0.025 - 0.1 0.2 - 0.3	6A 6.3A 7.5A	0.15A 0.09A 0.06A	14.9K 17.3K	11.2 13.1	2.1 1.3	0.3 0.87	7.7E 4.1E			36.2B 36.7B		
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Tota K %	I Bulk Density Mg/m3	Pa GV	erticle CS	Size A FS %	nalysis Silt (	Clay
0 - 0.025 0.025 - 0.1 0.2 - 0.3		0.89F							5D 5D 4D	20 19 16	12 13 13	64 62 64
Depth m	COLE	Sat.	Gravimetric/Volumetric Water Contents Sat. 0.05 Bar 0.1 Bar 0.5 Bar 1 Bar 5 Bar 15 Bar g/g - m3/m3							at /h	K unsat mm/h	

0 - 0.025 0.025 - 0.1 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C570 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

## **Laboratory Analyses Completed for this profile**

15G1\_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2A1 Air-dry moisture content
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6\_DC Organic carbon (%) - Dry combustion
P10\_PB\_C Clay (%) - Plummet balance
P10\_PB\_CS Coarse sand (%) - Plummet balance
P10\_PB\_FS Fine sand (%) - Plummet balance
P10\_PB\_Z Silt (%) - Plummet balance