Project Name: CAN

Project Code: CAN Site ID: C584 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By: J. Loveday Locality: Tubbo site 24B-AM

 Date Desc.:
 01/12/61
 Elevation:
 150 metres

 Map Ref.:
 Sheet No.: 8128
 1:100000
 Rainfall:
 410

 Northing/Long.:
 146.087222222222
 Runoff:
 Very slow

Easting/Lat.: -34.6666666666667 Drainage: Moderately well drained

Geology

ExposureType: Soil pit Conf. Sub. is Parent. Mat.: No Data

Geol. Ref.: No Data Substrate Material: Porous, Unconsolidated material

(unidentified)

Land Form

Rel/Slope Class:Level plain <9m <1%</th>Pattern Type:Alluvial plainMorph. Type:FlatRelief:No DataElem. Type:PlainSlope Category:LevelSlope:<1 %</th>Aspect:No Data

Surface Soil Condition (dry): Hardsetting, Surface crust

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/AHaplic Calcic Red ChromosolPrincipal Profile Form:Dr1.33

ASC Confidence: Great Soil Group: Red-brown earth

All necessary analytical data are available.

Site Disturbance: Cultivation. Irrigated, past or present

Vegetation: Low Strata - Forb, <0.25m, Closed or dense. *Species includes - None recorded

Surface Coarse Fragments: No surface coarse fragments

Profile Morphology

0 - 0.13 m Brown (7.5YR5/4-Dry); ; Fine sandy loam (Heavy); Massive grade of structure; Fine, (0 - 5) mm crack; Very firm consistence; Field pH 5.4 (pH meter); Pinkish grey (7.5YR6/2-Dry); ; Sandy loam; Massive grade of structure; Very firm consistence; 0.13 - 0.2 m 0.2 - 0.38 m Dark reddish brown (5YR3/3-Dry); , 5YR34, 20-50%; , 20-50%; Medium clay; 20-50 mm, Angular blocky; 100-200 mm, Prismatic; Very firm consistence; Field pH 7.5 (pH meter); 0.38 - 0.46 m Reddish brown (5YR4/4-Moist); ; Medium clay; Massive grade of structure; 0.46 - 0.61 m Brown (7.5YR4/4-Moist); ; Light clay; Massive grade of structure; Very few (0 - 2 %), Calcareous, , Concretions; 0.61 - 0.91 m Brown (7.5YR4/4-Moist); , 2.5Y72; , 5YR46; Light clay; Massive grade of structure; Very few (0 -2 %), Calcareous, , Concretions;

Light brownish grey (2.5Y6/2-Moist); , 7.5YR44; Medium clay; 10-20 mm, Angular blocky; Few (2

- 10 %), Calcareous, , Concretions;

Morphological Notes

0.91 - 1.27 m

Observation Notes

SHINY PED FACES & SOME BLACK STAINS >60CM

Site Notes

COLEAMBALLY

Project Name: Project Code: Agency Name: CAN

CAN Site ID: C584 CSIRO Division of Soils (NSW) Observation ID: 1

Laboratory Test Results:

Depth	pН	1:5 EC		nangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	E	CEC	ESP	
m		dS/m				Cmol (+	-)/kg				%	
0 - 0.025	5.4A	0.06A										
0.025 - 0.1 0.1 - 0.2	5.4A	0.03A	2.7K	1.3	0.36	0.03	5E		!	9.4B		
0.2 - 0.3	7.5A	0.06A	9.8K	8.7	0.67	1.4	3.9E		2	24.5B		
Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	l Bulk Density	Pa GV		Size <i>F</i> FS	Analysis Silt Cla	у
m	%	%	mg/kg	%	%	%	Mg/m3			%		-
0 - 0.025									16D	52	18	11
0.025 - 0.1 0.1 - 0.2		0.52F							16D	53	17	12
0.2 - 0.3									8D	30	7	51
Depth	Depth COLE Gravimetric/Volumetric Water Contents K sat K										K unsat	
Dehm	JOLE	Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar		Bar				
m		g/g - m3/m3 mm/h mm/h									mm/h	

0 - 0.025 0.025 - 0.1 0.1 - 0.2 0.2 - 0.3

Project Name: CAN

Project Code: CAN Site ID: C584 Observation ID: 1

Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile

15_NR_CAExch. basic cations (Ca++) - meq per 100g of soil - Not recorded15_NR_KExch. basic cations (K++) - meq per 100g of soil - Not recorded15_NR_MGExch. basic cations (Mg++) - meq per 100g of soil - Not recorded15_NR_NAExch. basic cations (Na++) - meq per 100g of soil - Not recorded

15G1_H Hydrogen Cation - meq per 100g of soil - 1M KCl Exch. Acidity By titration to pH 8.0 Sum of Ex. cations + Ex. acidity - Sum of basic exch. cations and exch. (Hydrogen)

2A1 Air-dry moisture content
3A1 EC of 1:5 soil/water extract
4A1 pH of 1:5 soil/water suspension

5A2 Chloride - 1:5 soil/water extract, automated colour

6_DC Organic carbon (%) - Dry combustion
P10_PB_C Clay (%) - Plummet balance
P10_PB_CS Coarse sand (%) - Plummet balance
P10_PB_FS Fine sand (%) - Plummet balance
P10_PB_Z Silt (%) - Plummet balance