

Project Name: KOO
Project Code: KOO **Site ID:** C15 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Site Information

Desc. By:		Locality:	P28 east side:
Date Desc.:	09/07/54	Elevation:	124 metres
Map Ref.:		Rainfall:	380
Northing/Long.:		Runoff:	Slow
Easting/Lat.:		Drainage:	Imperfectly drained

Geology

ExposureType:	No Data	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	No Data	Pattern Type:	Plain
Morph. Type:	No Data	Relief:	No Data
Elem. Type:	Plain	Slope Category:	No Data
Slope:	0 %	Aspect:	No Data

Surface Soil Condition (dry):

Erosion:

Soil Classification

Australian Soil Classification:	Mapping Unit:	N/A
Epicalcareous-Endohypersodic Massive Black Vertosol	Principal Profile Form:	N/A
ASC Confidence:	Great Soil Group:	Brown clay
No analytical data are available but confidence is fair.		

Site Disturbance: No effective disturbance other than grazing by hoofed animals

Vegetation: Low Strata - Tussock grass, , . *Species includes - Danthonia species
Tall Strata - Tree, , . *Species includes - None Recorded

Surface Coarse Fragments:

Profile Morphology

A11	0 - 0.06 m	Light reddish brown (5YR6/3-Moist); ; Clay loam; Weak grade of structure, 50-100 mm, Platy; Weak grade of structure, 5-10 mm, Subangular blocky; Dry; Firm consistence;
B11	0.06 - 0.23 m	Dusky red (2.5YR3/2-Moist); ; Heavy clay; Strong grade of structure, 20-50 mm, Angular blocky; Strong grade of structure, 10-20 mm, Angular blocky; Moderately moist; Weak consistence; 2-10%, Quartz, coarse fragments; Wavy change to -
B12	0.23 - 0.41 m	Dusky red (2.5YR3/2-Moist); , 2.5YR50, 2-10% ; , 2-10% ; Heavy clay; Strong grade of structure, 20-50 mm, Angular blocky; Strong grade of structure, 10-20 mm, Angular blocky; Moderately moist; Weak consistence; 2-10%, Quartz, coarse fragments; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Concretions; Gradual change to -
B13	0.51 - 0.69 m	Brown (7.5YR5/4-Moist); ; Heavy clay; Weak grade of structure, 20-50 mm, Angular blocky; Weak grade of structure, 5-10 mm, Angular blocky; Moderately moist; Weak consistence; Few (2 - 10 %), Calcareous, Fine (0 - 2 mm), Soft segregations; Very few (0 - 2 %), Gypseous, , ; Gradual change to -
B14	0.69 - 0.91 m	Yellowish brown (10YR5/4-Moist); ; Heavy clay (Light); Moderate grade of structure, 20-50 mm, Angular blocky; Moderate grade of structure, 5-10 mm, Angular blocky; Moderately moist; Weak consistence; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Concretions; Common (10 - 20 %), Gypseous, , ; Gradual change to -
C11	0.91 - 1.07 m	Yellowish brown (10YR5/4-Moist); , 10YR43; Heavy clay (Light); Moderate grade of structure, 20-50 mm, Angular blocky; Moderate grade of structure, 5-10 mm, Angular blocky; Moderately moist; Weak consistence; Few (2 - 10 %), Calcareous, Fine (0 - 2 mm), Concretions; Common (10 - 20 %), Gypseous, , ; Gradual change to -
	1.68 - 1.83 m	Light yellowish brown (2.5Y6/4-Moist); , 2.5Y74; , 10YR54; Light medium clay (Heavy); Weak consistence; Few (2 - 10 %), Calcareous, Medium (2 - 6 mm), Concretions;

Morphological Notes

Observation Notes

168-183CM FERRUGINOUS STAINING:

Site Notes

COOPER

Project Name: KOO
Project Code: KOO **Site ID:** C15 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (NSW)

Project Name: KOO

Project Code: KOO

Agency Name: CSIRO Division of Soils (NSW)

Site ID: C15

Observation ID: 1

Laboratory Test Results:

Depth	pH	1:5 EC	Exchangeable Cations			Exchangeable	CEC	ECEC	ESP
m		dS/m	Ca	Mg	K	Na	Acidity		
						Cmol (+)/kg			%

Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk	Particle		Size	Analysis	
m	%	C	P	P	N	K	Density	GV	CS	FS	Silt	Clay
		%	mg/kg	%	%	%	Mg/m3			%		

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar		
m					g/g -	m3/m3		mm/h	mm/h

Project Name: KOO
Project Code: KOO Site ID: C15 Observation ID: 1
Agency Name: CSIRO Division of Soils (NSW)

Laboratory Analyses Completed for this profile