Project Name: Preliminary Assessment and Survey of Land Degradation in the Dalrypmle Shire, QLD

Project Code: Site ID: 2286 Observation ID: 1

Agency Name: **QLD Department of Primary Industries**

Site Information

Desc. By: M.G. Cannon Locality:

Date Desc.: 03/11/93 Elevation: No Data Map Ref.: Sheet No.: 7959 GPS Rainfall: No Data Northing/Long.: 7861340 AMG zone: 55 Runoff: No Data Easting/Lat.: 324629 Datum: AGD66 Drainage: No Data

Geology

ExposureType: No Data Conf. Sub. is Parent. Mat.: No Data **Substrate Material:** No Data Geol. Ref.: No Data

Land Form

Rel/Slope Class: Undulating plains <9m 3-10% Pattern Type: Plain Morph. Type: Simple-slope Relief: No Data Elem. Type: Slope Category: Gently inclined Plain Aspect: No Data Slope: 4 %

Surface Soil Condition (dry): Self-mulching

Erosion:

Soil Classification

Australian Soil Classification: N/A Mapping Unit: Haplic Self-Mulching Black Vertosol Gravelly Medium fine Principal Profile Form: Ua5.16

Very fine Very deep

ASC Confidence: Black earth **Great Soil Group:**

No analytical data are available but confidence is fair.

Site Disturbance: No effective disturbance other than grazing by hoofed animals

Vegetation: Low Strata - Tussock grass, 0.26-0.5m, Isolated plants. *Species includes - Bothriochloa species, Heteropogon

contortus

Mid Strata - Tree, 1.01-3m, Isolated plants. *Species includes - Eucalyptus crebra, Eucalyptus papuana

Tall Strata - Tree, 6.01-12m, Isolated plants. *Species includes - Eucalyptus crebra, Eucalyptus papuana

Surface Coarse Fragments: 2-10%, medium gravelly, 6-20mm, rounded, Basalt

Profile Morphology

A11 0 - 0.03 m Very dark grey (10YR3/1-Moist); ; Light medium clay; Strong grade of structure, 5-10 mm, Lenticular; Strong grade of structure, 2-5 mm, Granular; Smooth-ped fabric; Dry; Very weak consistence; , Calcareous, , ; , Gypseous, , ; Field pH 6 (Raupach, 0.02);

A12 0.03 - 0.3 m Very dark grey (10YR3/1-Moist); ; Medium heavy clay; Moderate grade of structure, 20-50 mm, Angular blocky; Strong grade of structure, 5-10 mm, Angular blocky; Smooth-ped fabric; Dry;

Strong consistence; , Calcareous, , ; , Gypseous, , ; Field pH 6.5 (Raupach, 0.25);

B21 Very dark grey (10YR3/1-Moist); ; Medium heavy clay; Strong grade of structure, 10-20 mm, 0.3 - 0.8 m

Angular blocky; Smooth-ped fabric; Moderately moist; Strong consistence; 0-2%, fine gravelly, 2-6mm, subrounded, dispersed, Quartz, coarse fragments; Common cutans, 10-50% of ped faces or walls coated, distinct; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Nodules;

Gypseous, , ; Field pH 6.5 (Raupach, 0.7);

B22 0.8 - 1.4 m

Brown (10YR4/3-Moist); ; Medium heavy clay; Strong grade of structure, 10-20 mm, Angular blocky; Smooth-ped fabric; Moderately moist; Strong consistence; Common cutans, 10-50% of ped faces or walls coated, distinct; Very few (0 - 2 %), Calcareous, Fine (0 - 2 mm), Nodules;

Gypseous, , ; Field pH 8 (Raupach, 1.3);

Morphological Notes

Observation Notes

Site Notes

Preliminary Assessment and Survey of Land Degradation in the Dalrypmle Shire, QLD DLR Site ID: 2286 Observation ID: 1

DLR Site ID: 2286
QLD Department of Primary Industries

Project Name: Project Code: Agency Name:

Laboratory Test Results:

Depth	рН	1:5 EC		angeable Ig	Cations K	ons Exchangeable Na Acidity			E	CEC	ESP	
m		dS/m	Ca IV	ıy	ĸ	Cmol (+)/l	•				%	
Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk				Analysis	
m	%	С %	P mg/kg	P %	N %	К %	Density Mg/m3	GV	cs	FS %	Silt Cla	у
Depth	COLE		Gravimetric/Volumetric Water Contents						K sa	t	K unsat	
m		Sat.	0.05 Bar	0.1 Bar g/g	0.5 Bar g - m3/m3	1 Bar	5 Bar 15	Bar	mm/l	n	mm/h	

Preliminary Assessment and Survey of Land Degradation in the Dalrypmle Shire, QLD DLR Site ID: 2286 Observation ID: 1 QLD Department of Primary Industries

Project Name: Project Code: Agency Name:

Laboratory Analyses Completed for this profile