| Project Project Agency | | NA NA CS | | | Observati | on ID: | 1 | |
|---|---|---|---|--|--|------------------------------|----------------------------------|--|
| Site Inf | ormatio | n | | | | | | |
| Desc. By Date Des Map Ref Northing Easting/ | y: sc.: :: g/Long.: | G.D. 11/05 Shee 150.9 | Hubble 5/71 et No. : 9046 1:100000 90277777778 '0416666666667 | Locality: Elevation: Rainfall: Runoff: Drainage: | 240 metres 716 No Data No Data | | | |
| <u>Geolog</u> Exposur Geol. Re | eType: | Auge PRt | er boring t | Conf. Sub. is Pa Substrate Mater | | No Dat Auger b | a poring, 1 m deep,Adamellite | |
| Morph. 1 Elem. Ty Slope: | e Class: Type: /pe: | Mid-s Hillsl 4 % | | Pattern Type: Relief: Slope Category: Aspect: | No Data No Data No Data No Data | ata ata | | |
| | | naitie | on (dry): Hardsetting | | | | | |
| <u>Erosior</u> Soil Cla | <u>n:</u> assificati | <u>ion</u> | | | | | | |
| Australia | an Soil Cl | lassifi | ication: | Мар | ping Unit: | | N/A | |
| | | | atric Yellow Sodosol | ncipal Profile Form: Dy3.41 | | | | |
| ASC Confidence: All necessary analytical d | | | | Great Soil Group: | | | Yellow podzolic soil | |
| | • | • | o effective disturbance other t | than grazing by hoc | ofed animals | | | |
| Vegetat | _ | | ow Strata - Tussock grass, , . | | | | tus | |
| | | | all Strata - Tree, 6.01-12m, S | • | | | | |
| Surface | e Coarse | | | | | 011000101 | | |
| Surface Coarse Fragments: Profile Morphology | | | | | | | | |
| A1 | 0 - 0.2 m | 0 - 0.2 m Brown (7.5YR4/2-Moist); ; Loamy coarse sand; Massive grade of structure; Dry; Very weak consistence; 10-20%, medium gravelly, 6-20mm, angular, Gravel, coarse fragments; Field pH 6.2 (pH meter); Common, very fine (0-1mm) roots; Gradual change to - | | | | | oarse fragments; Field pH | |
| A21 | 0.2 - 0.4 m Pale brown (10YR6/3-Moist); ; Clayey coarse sand; Massive grade of structure; Dry; Very weak consistence; 20-50%, coarse gravelly, 20-60mm, angular, Gravel, coarse fragments; Field pH 6.5 (pH meter); Common, very fine (0-1mm) roots; Diffuse change to - | | | | | oarse fragments; Field pH | | |
| A22 | A22 0.4 - 0.53 m Light yellowish brown (10YR6/4-Moist); ; Clayey coarse sand; Massive grade of structure; Dry Very weak consistence; 20-50%, coarse gravelly, 20-60mm, angular, Gravel, coarse fragment Field pH 6.2 (pH meter); Few, very fine (0-1mm) roots; Abrupt change to - | | | | | r, Gravel, coarse fragments; | | |
| B2 | 0.53 - 0.7 | - 0.7 m Light yellowish brown (10YR6/4-Moist); , 7.5YR58, 10-20%, 5-15mm, Distinct; , 2.5YR46, 10- 20%, 5-15mm, Distinct; Medium heavy clay; 5-10 mm, Angular blocky; Moderately moist; Firm consistence; 20-50%, medium gravelly, 6-20mm, angular, Gravel, coarse fragments; Field pH 5.8 (pH meter); Few, very fine (0-1mm) roots; Gradual change to - | | | | cky; Moderately moist; Firm | | |
| С | 0.7 - 1 m | m Yellowish brown (10YR5/4-Moist); , 7.5YR56, 20-50% , 0-5mm, Faint; , 5YR55, 20-50% , 0-5mm Faint; Coarse sandy medium clay; Massive grade of structure; Moist; Firm consistence; 20- 50%, medium gravelly, 6-20mm, angular, Gravel, coarse fragments; Field pH 6.3 (pH meter); | | | | st; Firm consistence; 20- | | |
| Manaka | | | _ | | | | | |

Morphological Notes

Observation Notes

BELOW 60CM SLIGHT INCREASING TO STRONG SPECKLING OF WEATHERING MINERALS. GRAVELS DOMINANTLY FELDSPAR WITH QUARTZ.

Site Notes

NARAYEN

| Project Name: | NAR | | | |
|---------------|----------------|-------------|------|-------------------|
| Project Code: | NAR | Site ID: | B734 | Observation ID: 1 |
| Agency Name: | CSIRO Division | of Soils (Q | LD) | |

Laboratory Test Results:

| Depth | рН | 1:5 EC dS/m | | nangeable ⁄Ig | Cations K | | hangeable Acidity | CEC | EC | EC | ESP % |
|---|------------|-------------------|----------------------|------------------|----------------------|-----------------|--------------------------|-----|------------------------|-------|------------|
| 0 - 0.2 0.2 - 0.4 0.4 - 0.53 | 6.2H | <0.01B | 2K | 0.9 | 0.24 | 0 | 2.4D | | | | |
| 0.4 - 0.53 0.53 - 0.7 0.7 - 1 | 5.8H | 0.01B | 3.5K | 6.3 | 0.25 | 1.3 | 8.4D | | | | |
| Depth | CaCO3 % | Organic C % | Avail. P mg/kg | Total P % | Total N % | Total K % | Bulk Density Mg/m3 | | icle Siz CS FS % | | is Clay |
| 0 - 0.2 | 70 | 0.93A | 20B | 210F | 0.04 | | Mg/115 | 9 | , 66C | 23 6 | 4 |
| 0.2 - 0.4 0.4 - 0.53 0.53 - 0.7 0.7 - 1 | | | | 210F | | 2.1B | | 33 | 43C | 16 9 | 34 |
| Depth | COLE | | Grav | imetric/Vo | lumetric W | ater Conten | ts | | K sat | K uns | at |
| m | | Sat. | 0.05 Bar | | 0.5 Bar g - m3/m3 | | 5 Bar 15 | Bar | mm/h | mm/ł | ı |
| 0 - 0.2 0.2 - 0.4 0.4 - 0.53 0.53 - 0.7 0.7 - 1 | | | | | | | | | | | |

| Project Name: | NAR | | |
|---------------|------------|-------------------|------|
| Project Code: | NAR | Site ID: | B734 |
| Agency Name: | CSIRO Divi | ision of Soils (C | QLD) |

Observation ID: 1

Laboratory Analyses Completed for this profile

| 10A_NR | Total element - S(%) - Not recorded |
|-----------|--|
| 15_NR_CA | Exch. basic cations (Ca++) - meq per 100g of soil - Not recorded |
| 15_NR_H | Hydrogen Cation - meq per 100g of soil - Not recorded |
| 15_NR_K | Exch. basic cations (K++) - meq per 100g of soil - Not recorded |
| 15_NR_MG | Exch. basic cations (Mg++) - meq per 100g of soil - Not recorded |
| 15_NR_NA | Exch. basic cations (Na++) - meq per 100g of soil - Not recorded |
| 17A_NR | Total element - K(%) - Not recorded |
| 2A1 | Air-dry moisture content |
| 3_NR | Electrical conductivity or soluble salts - Not recorded |
| 4_NR | pH of soil - Not recorded |
| 5_NR | Water soluble Chloride - Cl(%) - Not recordede |
| 6A1 | Organic carbon - Walkley and Black |
| 7_NR | Total nitrogen (%) - Not recorded |
| 9A_NR | Total element - P(%) - Not recorded |
| 9G_BSES | Available P (mg/kg) - Acid P - 0.005M H2SO4 (BSES) |
| P10_GRAV | Gravel (%) |
| P10_NR_C | Clay (%) - Not recorded |
| P10_NR_CS | Coarse sand (%) - Not recorded |
| P10_NR_FS | Fine sand (%) - Not recorded |
| P10_NR_Z | Silt (%) - Not recorded |
| | |