

**Project Name:** Nyabing Kukerin land resources survey  
**Project Code:** NYA **Site ID:** 0307 **Observation ID:** 1  
**Agency Name:** Agriculture Western Australia

#### Site Information

**Desc. By:** Heather Percy  
**Date Desc.:** 31/07/95  
**Map Ref.:**  
**Northing/Long.:** 6250320 AMG zone: 50  
**Easting/Lat.:** 632850 Datum: AGD84  
**Locality:**  
**Elevation:** 330 metres  
**Rainfall:** No Data  
**Runoff:** No Data  
**Drainage:** Moderately well drained

#### Geology

**Exposure Type:** Auger boring  
**Geol. Ref.:** No Data  
**Conf. Sub. is Parent. Mat.:** No Data  
**Substrate Material:** No Data

#### Landform

**Rel/Slope Class:** Gently undulating rises 9-30m 1-3% **Pattern Type:** Rises

**Morph. Type:** Crest  
**Elem. Type:** Hillcrest  
**Slope:** 0 %  
**Relief:** 10 metres  
**Slope Category:** No Data  
**Aspect:** No Data

**Surface Soil Condition** Hardsetting, Hardsetting

**Erosion** (wind); (sheet) (rill) (gully)

#### Soil Classification

**Australian Soil Classification:** Mesotrophic Mottled-Mesonatric Brown Sodosol  
**ASC Confidence:** No analytical data are available but confidence is fair.  
**Mapping Unit:** N/A  
**Principal Profile Form:** Dy3.42  
**Great Soil Group:** N/A

**Site Disturbance** Complete clearing. Pasture, native or improved, cultivated at some stage

#### Vegetation

**Surface Coarse Fragments** 20-50%, medium gravelly, 6-20mm, angular, Quartz; 2-10%, , subangular, Gneiss

#### Profile Morphology

A1 0 - 0.08 m Very dark grey (10YR3/1-Moist); , 0-0% ; Loamy coarse sand; Massive grade of structure; Moist; Field pH 6 (Raupach); Abrupt, Smooth change to -  
 A2e 0.08 - 0.13 m Pale brown (10YR6/3-Moist); , 0-0% ; Clayey coarse sand; Massive grade of structure; Moist; Field pH 6 (Raupach); Abrupt, Wavy change to -  
 B2 0.13 - 0.45 m Strong brown (7.5YR5/6-Moist); Mottles, 10YR54, 10-20% , 5-15mm, Faint; , 2.5YR46, 10-20% , 5-15mm, Distinct; Sandy medium clay; Strong grade of structure, Columnar; Rough-ped fabric; Moderately moist; Field pH 6.5 (Raupach);  
 C 0.45 - 0.55 m Dark yellowish brown (10YR4/6-Moist); , 0-0% ; Clayey coarse sand; Massive grade of structure; Moderately moist; Field pH 7.5 (Raupach);

#### Morphological Notes

C Weathered gneiss - with fool's gold.

#### Observation Notes

#### Site Notes

"Hardsetting grey clay".

**Project Name:** Nyabing Kukerin land resources survey  
**Project Code:** NYA **Site ID:** 0307 **Observation** 1  
**Agency Name:** Agriculture Western Australia

#### Laboratory Test Results:

Depth m	pH	1:5 EC dS/m	Ca	Exchangeable Mg	Cations K	Na Cmol (+)/kg	Exchangeable Acidity	CEC	ECEC	ESP %
0 - 0.08	4.8B 6H	12B	2.48H	0.58	0.24	0.32	0.12J		3.62D	

0 - 0.08	4.8B 6H	12B	2.48H	0.58	0.24	0.32	0.12J	3.62D
0 - 0.08	4.8B 6H	12B	2.48H	0.58	0.24	0.32	0.12J	3.62D
0.13 - 0.33	5.8B 6.8H	21B	1.62A	5.07	0.13	1.98		8.8D
0.13 - 0.33	5.8B 6.8H	21B	1.62A	5.07	0.13	1.98		8.8D
0.13 - 0.33	5.8B 6.8H	21B	1.62A	5.07	0.13	1.98		8.8D

Depth	CaCO <sub>3</sub>	Organic C Clay	Avail. P	Total P	Total N	Total K	Bulk Density	Particle Size Analysis
m	%	%	mg/kg	%	%	%	Mg/m <sup>3</sup>	GV CS FS Silt
0 - 0.08 2		1.53D						93I 5
0 - 0.08 2		1.53D						93I 5
0 - 0.08 2		1.53D						93I 5
0.13 - 0.33 29.5		0.39D						64I 6.5
0.13 - 0.33 29.5		0.39D						64I 6.5
0.13 - 0.33 29.5		0.39D						64I 6.5

#### Laboratory Analyses Completed for this profile

15_NR_BSa	Exchangeable bases (Ca++) - meq per 100g of soil - Auto calculated from available
15_NR_CMRR	Exchangeable bases (Ca/Mg ratio) - Not recorded
15A1_CA for soluble	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) - 1M ammonium chloride at pH 7.0, no pretreatment salts
15A1_CEC for soluble	Exchangeable bases (CEC) - 1M ammonium chloride at pH 7.0, no pretreatment for soluble salts
15A1_K for soluble	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) - 1M ammonium chloride at pH 7.0, no pretreatment salts
15A1_MG for soluble	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) - 1M ammonium chloride at pH 7.0, no pretreatment salts
15A1_NA for soluble	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) - 1M ammonium chloride at pH 7.0, no pretreatment salts
15E1_AL	Exchangeable Al - by compulsive exchange, no pretreatment for soluble salts
15E1_CA salts	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) by compulsive exchange, no pretreatment for soluble salts
15E1_K	Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts
15E1_MG	Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts
15E1_MN	Exchangeable bases (Mn <sup>2+</sup> ) by compulsive exchange, no pretreatment for soluble salts
15E1_NA	Exchangeable bases, CEC and AEC by compulsive exchange, no pretreatment for soluble salts
15J_BASES	Sum of Bases
15L1_a Sum of Cations	Exchangeable bases Base saturation percentage (BSP) - Auto calculated from available using and measured clay
15N1_a	Exchangeable sodium percentage (ESP) - Auto calculated from available using CEC
15N1_b	Exchangeable sodium percentage (ESP) - Auto calculated from available using Sum of Cations
3_NR	Electrical conductivity or soluble salts - Not recorded
4_NR	pH of soil - Not recorded
4B1	pH of 1:5 soil/0.01M calcium chloride extract - direct
6A1_UC	Organic carbon (%) - Uncorrected Walkley and Black method
P10_gt2m	> 2mm particle size analysis, (method not recorded)

<b>Project Name:</b>	<b>Nyabing Kukerin land resources survey</b>		
<b>Project Code:</b>	<b>NYA</b>	<b>Site ID:</b>	<b>0307</b>
<b>Agency Name:</b>	<b>Agriculture Western Australia</b>	<b>Observation</b>	<b>1</b>
P10_NR_C	Clay (%) - Not recorded		
P10_NR_S	Sand (%) - Not recorded		
P10_NR_Z	Silt (%) - Not recorded		