

**Project Name:** Soils of the Lower Macquarie Valley, New South Wales  
**Project Code:** Macquarie **Site ID:** 217 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Site Information**

<b>Desc. By:</b>	N.J. McKenzie	<b>Locality:</b>	
<b>Date Desc.:</b>	17/06/85	<b>Elevation:</b>	No Data
<b>Map Ref.:</b>	Sheet No. : 8534 1:10000	<b>Rainfall:</b>	No Data
<b>Northing/Long.:</b>	6463833 AMG zone: 55	<b>Runoff:</b>	Very slow
<b>Easting/Lat.:</b>	603000 Datum: AGD66	<b>Drainage:</b>	Poorly drained

**Geology**

<b>ExposureType:</b>	Soil pit	<b>Conf. Sub. is Parent. Mat.:</b>	No Data
<b>Geol. Ref.:</b>	No Data	<b>Substrate Material:</b>	No Data

**Land Form**

<b>Rel/Slope Class:</b>	No Data	<b>Pattern Type:</b>	No Data
<b>Morph. Type:</b>	Open depression (vale)	<b>Relief:</b>	No Data
<b>Elem. Type:</b>	No Data	<b>Slope Category:</b>	No Data
<b>Slope:</b>	%	<b>Aspect:</b>	No Data

**Surface Soil Condition (dry):** Cracking, Firm

**Erosion:**

**Soil Classification**

<b>Australian Soil Classification:</b>		<b>Mapping Unit:</b>	GIN GIN AEOLIAN DEPOSITS
N/A		<b>Principal Profile Form:</b>	Ug5.38
		<b>Great Soil Group:</b>	N/A

**ASC Confidence:**

Confidence level not specified

**Site Disturbance:** Complete clearing. Pasture, native or improved, cultivated at some stage

**Vegetation:**

Tall Strata - Tussock grass, 0.26-0.5m, Sparse. \*Species includes - None Recorded

**Surface Coarse Fragments:**

**Profile Morphology**

A1	0 - 0.26 m	Dark reddish brown (5YR3/4-Moist); ; Medium clay; Moderate grade of structure, 10-20 mm, Polyhedral; Rough-ped fabric; Fine, (0 - 5) mm crack; Few (<1 per 100mm <sup>2</sup> ) Very fine (0.075-1mm) macropores, Few (<1 per 100mm <sup>2</sup> ) Fine (1-2mm) macropores, Few (<1 per 100mm <sup>2</sup> ) Medium (2-5mm) macropores, Moderately moist; Firm consistence; Field pH 7 (Raupach); Many, very fine (0-1mm) roots; Many, fine (1-2mm) roots; Many, medium (2-5mm) roots; Clear, Smooth change to -
B21k	0.26 - 0.7 m	Yellowish red (5YR4/5-Moist); ; Heavy clay; Strong grade of structure, 20-50 mm, Angular blocky; Smooth-ped fabric; Medium, (5 - 10) mm crack; Few (<1 per 100mm <sup>2</sup> ) Very fine (0.075-1mm) macropores, Few (<1 per 100mm <sup>2</sup> ) Fine (1-2mm) macropores, Dry; Very firm consistence; Common cutans, 10-50% of ped faces or walls coated; Many (20 - 50 %), Calcareous, Coarse (6 - 20 mm), Nodules; Field pH 9 (Raupach); Common, very fine (0-1mm) roots; Common, fine (1-2mm) roots; Common, medium (2-5mm) roots; Gradual, Smooth change
B22	0.7 - 1.1 m	Yellowish red (5YR4/5-Moist); ; Heavy clay; Strong grade of structure, 20-50 mm, Angular blocky; Smooth-ped fabric; Fine, (0 - 5) mm crack; Few (<1 per 100mm <sup>2</sup> ) Very fine (0.075-1mm) macropores, Dry; Very firm consistence; Common cutans, 10-50% of ped faces or walls coated; Common (10 - 20 %), Calcareous, Coarse (6 - 20 mm), Nodules; Field pH 8.5 (Raupach); Few, very fine (0-1mm) roots; Gradual, Smooth change to -
B23	1.1 - 1.35 m	Yellowish red (5YR4/6-Moist); , 7.5YR6/4, 20-50% , 5-15mm, Distinct; Heavy clay; Moderate grade of structure, 20-50 mm, Polyhedral; Rough-ped fabric; Few (<1 per 100mm <sup>2</sup> ) Very fine (0.075-1mm) macropores, Moderately moist; Firm consistence; Few cutans, <10% of ped faces or walls coated; Many (20 - 50 %), Calcareous, Coarse (6 - 20 mm), Nodules; Many (20 - 50 %), Gypseous, Medium (2 -6 mm), Crystals; Field pH 8.5 (Raupach); Few, very fine (0-1mm)

**Morphological Notes**

A1 Virtually the same as site 211 ( compare with Baker's and Gin Gin)

**Observation Notes**

Buddah Soil Profile Class

**Site Notes**

**Project Name:** Soils of the Lower Macquarie Valley, New South Wales  
**Project Code:** Macquarie **Site ID:** 217 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Test Results:**

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0.1 - 0.15	7.7A	0.144A	15.4E	5.4	1.5	0.5			22.8D	
0.3 - 0.35	9A	0.22A								
0.7 - 0.75	9A	0.817A	7.8E	9	0.3	4.7			21.8D	
1.3 - 1.35	7.7A	4.1A								

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle GV	Size CS	Analysis FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0.1 - 0.15							1.35		8.8A	25	8.1	58.1
0.3 - 0.35							1.45					
0.7 - 0.75							1.46		10.9A	26.8	10.1	52.2
1.3 - 1.35							1.48					

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
m		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	
					g/g -	m3/m3			mm/h
0.1 - 0.15	0.102A			0.3G				0.17D	
0.3 - 0.35	0.1A			0.27G				0.18D	
0.7 - 0.75	0.114A			0.26G				0.17D	
1.3 - 1.35	0.094A			0.27G				0.18D	

**Project Name:** Soils of the Lower Macquarie Valley, New South Wales  
**Project Code:** Macquarie **Site ID:** 217 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

15C1_CA	Exchangeable bases (Ca <sup>2+</sup> ,Mg <sup>2+</sup> ,Na <sup>+</sup> ,K <sup>+</sup> ) - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_K	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_MG	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_NA	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15J_BASES	Sum of Bases
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
P10_CF_C	Clay (%) - Coventry and Fett pipette method
P10_CF_CS	Coarse sand (%) - Coventry and Fett pipette method
P10_CF_FS	Fine sand (%) - Coventry and Fett pipette method
P10_CF_Z	Silt (%) - Coventry and Fett pipette method
P3A1	Bulk density - g/cm <sup>3</sup>
P3B1GV_15	15 BAR Moisture g/g - Gravimetric of ground sample (<2mm) using pressure plate
P3B4GV_01	0.1 BAR Moisture g/g - Gravimetric of soil clods (Soil Survey Staff,1967)
P5_COLE	Coefficient of Linear Extensibility (Grossman et al. 1968)