

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 510 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By:	N.J. McKenzie	Locality:	
Date Desc.:	01/12/85	Elevation:	No Data
Map Ref.:	Sheet No. : 8434 1:10000	Rainfall:	No Data
Northing/Long.:	6473600 AMG zone: 55	Runoff:	Very slow
Easting/Lat.:	577700 Datum: AGD66	Drainage:	Poorly drained

Geology

ExposureType:	Soil pit	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	No Data	Pattern Type:	No Data
Morph. Type:	Flat	Relief:	No Data
Elem. Type:	No Data	Slope Category:	No Data
Slope:	%	Aspect:	No Data

Surface Soil Condition (dry): Cracking, Self-mulching

Erosion:

Soil Classification

Australian Soil Classification:		Mapping Unit:	OLD ALLUVIUM BACKPLAIN
N/A		Principal Profile Form:	Ug5.24
ASC Confidence:		Great Soil Group:	N/A
Confidence level not specified			

Site Disturbance: Cultivation. Rainfed

Vegetation:

Tall Strata - Tussock grass, 0.51-1m, Sparse. *Species includes - None Recorded

Surface Coarse Fragments:

Profile Morphology

A1	0 - 0.08 m	Dark greyish brown (10YR4/2-Moist); ; Medium heavy clay; Moderate grade of structure, 10-20 mm, Subangular blocky; Earthy fabric; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Moist; Firm consistence; Few cutans, <10% of ped faces or walls coated; Field pH 8.5 (Raupach); Common, very fine (0-1mm) roots; Clear, Smooth change to -
B21	0.08 - 0.4 m	Greyish brown (10YR5/2-Moist); ; Heavy clay; Strong grade of structure, 50-100 mm, Polyhedral; Smooth-ped fabric; Fine, (0 - 5) mm crack; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Moist; Very firm consistence; Many cutans, >50% of ped faces or walls coated; Field pH 9 (Raupach); Common, very fine (0-1mm) roots; Gradual, Smooth change to -
B22	0.4 - 0.85 m	Brown (7.5YR5/3-Moist); ; Heavy clay; Strong grade of structure, 20-50 mm, Lenticular; Smooth-ped fabric; Fine, (0 - 5) mm crack; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Very firm consistence; Many cutans, >50% of ped faces or walls coated; Few (2 - 10 %), Calcareous, Medium (2 -6 mm), Nodules; Few (2 - 10 %), Calcareous, Medium (2 -6 mm), Soft segregations; Field pH 9 (Raupach); Few, very fine (0-1mm) roots; Diffuse, Smooth change to -
B3	0.85 - 1.35 m	Brown (7.5YR5/4-Moist); ; Heavy clay; Strong grade of structure, 20-50 mm, Lenticular; Rough-ped fabric; Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Very firm consistence; Many cutans, >50% of ped faces or walls coated; Very few (0 - 2 %), Calcareous, Medium (2 -6 mm), Nodules; Very few (0 - 2 %), Calcareous, Medium (2 -6 mm), Soft segregations; Field pH 9 (Raupach); Few, very fine (0-1mm) roots;

Morphological Notes

A1 B22/B23 has a dull massive appearance. B3 has B22 incorporated to give reticulate colour pattern = due to cracking (to 1.3m)

Observation Notes

Snake Soil Profile Class, Oats

Site Notes

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 510 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Test Results:

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0.1 - 0.15	9A	0.165A	18.9E	7.3	0	1.4			27.6D	
0.3 - 0.35	9.4A	0.32A								
0.7 - 0.75	9.4A	0.715A	10.4E	13.3	0.6	10.8			35.1D	
1.3 - 1.35	9.2A	1.072A								

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle GV	Size CS	Analysis FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0.1 - 0.15							1.46		8.7A	28.1	12.4	50.8
0.3 - 0.35							1.38					
0.7 - 0.75							1.29		9.9A	25.6	13.4	51.1
1.3 - 1.35							1.39					

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
m		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	
				g/g -	m3/m3				mm/h
0.1 - 0.15	0.081A			0.27G				0.19D	
0.3 - 0.35	0.129A			0.33G				0.2D	
0.7 - 0.75	0.144A			0.37G				0.21D	
1.3 - 1.35	0.118A			0.33G				0.23D	

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 510 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Analyses Completed for this profile

15C1_CA	Exchangeable bases (Ca ²⁺ ,Mg ²⁺ ,Na ⁺ ,K ⁺) - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_K	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_MG	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_NA	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15J_BASES	Sum of Bases
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
P10_CF_C	Clay (%) - Coventry and Fett pipette method
P10_CF_CS	Coarse sand (%) - Coventry and Fett pipette method
P10_CF_FS	Fine sand (%) - Coventry and Fett pipette method
P10_CF_Z	Silt (%) - Coventry and Fett pipette method
P3A1	Bulk density - g/cm ³
P3B1GV_15	15 BAR Moisture g/g - Gravimetric of ground sample (<2mm) using pressure plate
P3B4GV_01	0.1 BAR Moisture g/g - Gravimetric of soil clods (Soil Survey Staff,1967)
P5_COLE	Coefficient of Linear Extensibility (Grossman et al. 1968)