

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 536 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By:	N.J. McKenzie	Locality:	
Date Desc.:	09/12/85	Elevation:	No Data
Map Ref.:	Sheet No. : 8434 1:10000	Rainfall:	No Data
Northing/Long.:	6481244 AMG zone: 55	Runoff:	Moderately rapid
Easting/Lat.:	581800 Datum: AGD66	Drainage:	Well drained

Geology

ExposureType:	Soil pit	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	No Data	Pattern Type:	No Data
Morph. Type:	Flat	Relief:	No Data
Elem. Type:	No Data	Slope Category:	No Data
Slope:	%	Aspect:	No Data

Surface Soil Condition (dry): Hardsetting

Erosion:

Soil Classification

Australian Soil Classification:		Mapping Unit:	TRANGIE COWAL ALLUVIUM
N/A			

ASC Confidence:		Principal Profile Form:	Dy2.13
Confidence level not specified		Great Soil Group:	N/A

Site Disturbance: Complete clearing. Pasture, native or improved, cultivated at some stage

Vegetation:

Tall Strata - Tussock grass, 0.51-1m, Sparse. *Species includes - None Recorded

Surface Coarse Fragments:

Profile Morphology

A1	0 - 0.07 m	Dark brown (7.5YR3/4-Moist); ; Silty clay loam; Weak grade of structure, 20-50 mm, Platy; Earthy fabric; Few (<1 per 100mm ²) Very fine (0.075-1mm) macropores, Moist; Firm consistence; Field pH 7 (Raupach); Many, very fine (0-1mm) roots; Many, fine (1-2mm) roots; Many, medium (2-5mm) roots; Clear, Smooth change to -
A2	0.07 - 0.25 m	Dark reddish brown (5YR3/4-Moist); Reddish yellow (7.5YR6/6-Dry); ; Light medium clay; Weak grade of structure, 20-50 mm, Subangular blocky; Earthy fabric; Many (>5 per 100mm ²) Very fine (0.075-1mm) macropores, Many (>5 per 100mm ²) Fine (1-2mm) macropores, Many (>5 per 100mm ²) Medium (2-5mm) macropores, Common (1-5 per 0.01m ²) Medium (2-5mm) macropores, Moist; Weak consistence; Field pH 7 (Raupach); Many, very fine (0-1mm) roots; Many, fine (1-2mm) roots; Many, medium (2-5mm) roots; Clear, Smooth change to -
B21	0.25 - 0.47 m	Reddish brown (5YR5/4-Moist); ; Medium clay; Moderate grade of structure, 10-20 mm, Angular blocky; Rough-ped fabric; Common (1-5 per 100mm ²) Very fine (0.075-1mm) macropores, Common (1-5 per 100mm ²) Fine (1-2mm) macropores, Moderately moist; Very firm consistence; Many cutans, >50% of ped faces or walls coated; Field pH 7 (Raupach); Common, very fine (0-1mm) roots; Common, fine (1-2mm) roots; Gradual, Smooth change to -
B22	0.47 - 1.4 m	Strong brown (7.5YR4/6-Moist); ; Light clay; Weak grade of structure, 10-20 mm, Polyhedral; Rough-ped fabric; Many (>5 per 100mm ²) Very fine (0.075-1mm) macropores, Many (>5 per 100mm ²) Fine (1-2mm) macropores, Common (1-5 per 0.01m ²) Medium (2-5mm) macropores, Dry; Weak consistence; Few cutans, <10% of ped faces or walls coated; Common (10 - 20 %), Calcareous, Coarse (6 - 20 mm), Nodules; Common (10 - 20 %), Calcareous, Coarse (6 - 20 mm), Soft segregations; Field pH 8 (Raupach); Common, very fine (0-1mm) roots; Gradual, Irregular change to -
BC	1.4 - 1.5 m	Brown (7.5YR4/4-Moist); ; Clay loam; Weak grade of structure, 10-20 mm, Subangular blocky; Earthy fabric; Many (>5 per 100mm ²) Very fine (0.075-1mm) macropores, Many (>5 per 100mm ²) Fine (1-2mm) macropores, Few (<1 per 0.01m ²) Medium (2-5mm) macropores, Dry; Weak consistence; Very few (0 - 2 %), Calcareous, Medium (2 - 6 mm), Soft segregations; Field pH 8.5 (Raupach); Few, very fine (0-1mm) roots;

Morphological Notes

A1 Pig paddock with lucerne; B21 is fairly well developed.

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 536 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Wilga Soil Profile Class, Calcic Phase, Lucerne. Very disturbed due to pigs.

Site Notes

Observation Notes

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 536 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Test Results:

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0.1 - 0.15	7.2A	0.054A	6.3E	1.1	2.6	0			10D	
0.3 - 0.35	7.3A	0.034A								
0.7 - 0.75	8.6A	0.125A	15.6E	6	0.5	0.2			22.3D	
1.3 - 1.35	8.8A	0.473A								

Depth	CaCO3	Organic C	Avail. P	Total P	Total N	Total K	Bulk Density	Particle GV	Size CS	Analysis FS	Silt	Clay
m	%	%	mg/kg	%	%	%	Mg/m3			%		
0.1 - 0.15							1.40		2.9A	30.9	40.1	26.2
0.3 - 0.35							1.49					
0.7 - 0.75							1.37		1.2A	12.8	53.7	32.4
1.3 - 1.35							1.51					

Depth	COLE	Gravimetric/Volumetric Water Contents						K sat	K unsat
m		Sat.	0.05 Bar	0.1 Bar	0.5 Bar	1 Bar	5 Bar	15 Bar	
				g/g	m3/m3				mm/h
0.1 - 0.15	0.012A			0.2G				0.12D	
0.3 - 0.35	0.038A			0.22G				0.17D	
0.7 - 0.75	0.059A			0.26G				0.15D	
1.3 - 1.35	0.042A			0.2G				0.1D	

Project Name: Soils of the Lower Macquarie Valley, New South Wales
Project Code: Macquarie **Site ID:** 536 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Analyses Completed for this profile

15C1_CA	Exchangeable bases (Ca ²⁺ ,Mg ²⁺ ,Na ⁺ ,K ⁺) - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_K	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_MG	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15C1_NA	Exchangeable bases and CEC - alcoholic 1M ammonium chloride at pH 8.5, pretreatment for soluble salts
15J_BASES	Sum of Bases
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
P10_CF_C	Clay (%) - Coventry and Fett pipette method
P10_CF_CS	Coarse sand (%) - Coventry and Fett pipette method
P10_CF_FS	Fine sand (%) - Coventry and Fett pipette method
P10_CF_Z	Silt (%) - Coventry and Fett pipette method
P3A1	Bulk density - g/cm ³
P3B1GV_15	15 BAR Moisture g/g - Gravimetric of ground sample (<2mm) using pressure plate
P3B4GV_01	0.1 BAR Moisture g/g - Gravimetric of soil clods (Soil Survey Staff,1967)
P5_COLE	Coefficient of Linear Extensibility (Grossman et al. 1968)