

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM **Site ID:** SSM10 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

#### Site Information

<b>Desc. By:</b> B. Murphy	<b>Locality:</b>
<b>Date Desc.:</b> 01/02/91	<b>Elevation:</b> 430 metres
<b>Map Ref.:</b> Sheet No. : 8632 1:50000	<b>Rainfall:</b> No Data
<b>Northing/Long.:</b> 6388300 AMG zone: 55	<b>Runoff:</b> Slow
<b>Easting/Lat.:</b> 671300 Datum: AGD66	<b>Drainage:</b> Well drained

#### Geology

<b>ExposureType:</b> Undisturbed soil core	<b>Conf. Sub. is Parent. Mat.:</b> No Data
<b>Geol. Ref.:</b> Scp	<b>Substrate Material:</b> No Data

#### Land Form

<b>Rel/Slope Class:</b> No Data	<b>Pattern Type:</b> Low hills
<b>Morph. Type:</b> Mid-slope	<b>Relief:</b> No Data
<b>Elem. Type:</b> Hillslope	<b>Slope Category:</b> No Data
<b>Slope:</b> 4 %	<b>Aspect:</b> 45 degrees

**Surface Soil Condition (dry):** Firm

**Erosion:** Not apparent (wind); No scalding (scald) Partial, Moderate (sheet) No wave erosion (wave) No rill erosion (rill) No mass movement (mass) No gully erosion (gully) No stream bank erosion (stbank) No tunnel erosion (tunnel)

#### Soil Classification

<b>Australian Soil Classification:</b>	<b>Mapping Unit:</b> N/A
Eutrophic Red Chromosol	<b>Principal Profile Form:</b> Dr2.12
<b>ASC Confidence:</b>	<b>Great Soil Group:</b> Non-calcic brown soil
Confidence level not specified	

**Site Disturbance:** Cultivation. Rainfed

#### Vegetation:

#### Surface Coarse Fragments:

#### Profile Morphology

A1	0 - 0.1 m	Dark reddish brown (5YR2/4-Moist); ; Coarse sandy clay loam; Weak grade of structure, 20-50 mm, Polyhedral; 50-100 mm, Lenticular; Earthy fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm2) Medium (2-5mm) macropores, Common (1-5 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Coarse (>5mm) macropores, Dry; Very weak consistence; Non-plastic; Normal plasticity; Non-sticky; Cultivation pan, Uncemented, Discontinuous; Common, very fine (0-1mm) roots; Sharp, Smooth change to -
B21	0.1 - 0.2 m	Dark reddish brown (2.5YR3/3-Moist); ; Coarse sandy light clay; Moderate grade of structure, 10-20 mm, Polyhedral; 50-100 mm, Prismatic; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Few (<1 per 100mm2) Medium (2-5mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Firm consistence; Slightly plastic; Subplastic; Slightly sticky; Common cutans, 10-50% of ped faces or walls coated; Cultivation pan, Uncemented, Discontinuous; Few, very fine (0-1mm) roots; Gradual, Smooth change to -
B22	0.2 - 0.55 m	Dark red (2.5YR3/6-Moist); ; Coarse sandy light clay; Moderate grade of structure, 20-50 mm, Polyhedral; 20-50 mm, Prismatic; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Common (1-5 per 100mm2) Medium (2-5mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Few (<1 per 100mm2) Very fine (0.075-1mm) macropores, Moderately moist; Firm consistence; Slightly plastic; Subplastic; Slightly sticky; Common cutans, 10-50% of ped faces or walls coated; Few, very fine (0-1mm) roots; Diffuse, Irregular change to -
B23	0.55 - 0.85 m	Yellowish red (5YR4/8-Moist); Mottles, 5YR36, 10-20% , Distinct; Coarse sandy light medium clay; Moderate grade of structure, 20-50 mm, Polyhedral; 20-50 mm, Prismatic; Rough-ped fabric; Very coarse, (20 - 50) mm crack; Coarse, (10 - 20) mm crack; Medium, (5 - 10) mm crack; Common (1-5 per 100mm2) Medium (2-5mm) macropores, Moderately moist; Firm consistence; Slightly plastic; Subplastic; Slightly sticky; Common cutans, 10-50% of ped faces or walls coated, distinct; Few, very fine (0-1mm) roots;

#### Morphological Notes

#### Observation Notes

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM                      **Site ID:** SSM10  
**Agency Name:** CSIRO Division of Soils (ACT)

**Observation ID:** 1

WALMER WELLINGTON SIMMONS

## Site Notes

**Observation ID: 1**

[illegible]

**Project Name:** SOIL STRUCTURE & MANAGEMENT  
**Project Code:** SSM **Site ID:** SSM10 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

13A1_AL	Oxalate-extractable aluminium
13A1_FE	Oxalate-extractable iron
13A1_MN	Oxalate-extractable manganese
13A1_SI	Oxalate-extractable silicon
13C1_AL	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_FE	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_MN	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
13C1_SI	Citrate/dithionite-extractable iron, aluminium, Manganese and Silicon
14H1_CA	Soluble bases/SE (Ca,Mg,K,Na)
14H1_K	Soluble bases/SE (Ca,Mg,K,Na)
14H1_MG	Soluble bases/SE (Ca,Mg,K,Na)
14H1_NA	Soluble bases/SE (Ca,Mg,K,Na)
15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4B1	pH of 1:5 soil/0.01M calcium chloride extract - direct
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_CF_C	Clay (%) - Coventry and Fett pipette method
P10_CF_Z	Silt (%) - Coventry and Fett pipette method
P3A1	Bulk density - g/cm3
P3B3VLc001	0.01 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc003	0.03 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc005	0.05 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc01	0.1 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLc03	0.3 BAR Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLcSAT	Saturated Moisture m3/m3 - Volumetric using undisturbed 98mm diameter core on suction plate
P3B3VLd06	0.6 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd1	1 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd15	15 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd3	3 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P3B3VLd5	5 BAR Moisture m3/m3 - Volumetric using undisturbed 48mm diameter and 15mm height core on pressure plate
P6_LP	Dispersion Index (Loveday and Pyle, 1973)
PWS1-2mm	1000-2000 micron fraction (%) - Wet Sieving after chemical dispersion
PWS20-63	20-63 micron fraction (%) - Wet Sieving after chemical dispersion
PWS212-425	212-425 micron fraction (%) - Wet Sieving after chemical dispersion
PWS425-1mm	425-1000 micron fraction (%) - Wet Sieving after chemical dispersion
PWS63-212	63-212 micron fraction (%) - Wet Sieving after chemical dispersion