

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM **Site ID:** BD26 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Site Information**

<b>Desc. By:</b>	McKane, Dermot	<b>Locality:</b>	
<b>Date Desc.:</b>	15/07/93	<b>Elevation:</b>	265 metres
<b>Map Ref.:</b>	Sheet No. : 8327 DGPS	<b>Rainfall:</b>	No Data
<b>Northing/Long.:</b>	6124530 AMG zone: 55	<b>Runoff:</b>	No Data
<b>Easting/Lat.:</b>	538830 Datum: AGD66	<b>Drainage:</b>	No Data

**Geology**

<b>ExposureType:</b>	Undisturbed soil core	<b>Conf. Sub. is Parent. Mat.:</b>	Probable
<b>Geol. Ref.:</b>	No Data	<b>Substrate Material:</b>	Granite

**Land Form**

<b>Rel/Slope Class:</b>	No Data	<b>Pattern Type:</b>	No Data
<b>Morph. Type:</b>	No Data	<b>Relief:</b>	No Data
<b>Elem. Type:</b>	No Data	<b>Slope Category:</b>	No Data
<b>Slope:</b>	5 %	<b>Aspect:</b>	135 degrees

**Surface Soil Condition (dry):**

**Erosion:**

**Soil Classification**

<b>Australian Soil Classification:</b>		<b>Mapping Unit:</b>	N/A
Mottled Eutrophic Red Dermosol Medium Non-gravelly Loamy Clayey Very deep		<b>Principal Profile Form:</b>	N/A
<b>ASC Confidence:</b>		<b>Great Soil Group:</b>	N/A
Confidence level not specified			

**Site Disturbance:**

**Vegetation:**

**Surface Coarse Fragments:**

**Profile Morphology**

A1	0 - 0.11 m	Dark reddish brown (5YR3/3-Moist); ; Loam; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Weak consistence; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, coarse fragments; Many, very fine (0-1mm) roots; Clear change to -
A2	0.11 - 0.33 m	Yellowish red (5YR5/6-Moist); Pink (5YR7/4-Dry); ; Clayey sand; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, 2-10%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; Common, very fine (0-1mm) roots; Diffuse change to -
B1	0.33 - 0.85 m	Yellowish red (5YR5/8-Moist); ; Light clay; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, 2-10%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; Clear change to -
B21	0.85 - 1.57 m	Red (2.5YR4/8-Moist); Mottles, 10-20% , Distinct; Mottles, 2-10% , Distinct; Light clay; Strong grade of structure, 5-10 mm, Subangular blocky; Smooth-ped fabric; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments;

**Morphological Notes**

**Observation Notes**

**Site Notes**

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM      **Site ID:** BD26      **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Test Results:**

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0 - 0.11	6.4A	0.059A	4.1J	0.46	0.45	0.11		5.9I		1.86
0.11 - 0.33	6.05A	0.024A	2J	0.49	0.23	0.05		4.2I		1.19
0.33 - 0.85	6.07A	0.025A	5J	2.2	0.25	0.14		9.6I		1.46
0.85 - 1.57	6.11A	0.059A	6.6J	3.8	0.47	0.14		13.7I		1.02

Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk	Particle	Size	Analysis
m	%	C	P	P	N	K	Density	GV	CS	Silt
		%	mg/kg	%	%	%	Mg/m3		FS	Clay
									%	
0 - 0.11		1.14C						25.2I		11.9
0.11 - 0.33		0.23C						29.5I		8.8
0.33 - 0.85		0.28C						50.4I		11.3
0.85 - 1.57		0.23C						59.7I		10

[illegible]

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM    **Site ID:** BD26    **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15L1	Base saturation percentage (BSP)
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_NR_C	Clay (%) - Not recorded
P10_NR_S	Sand (%) - Not recorded
P10_NR_Z	Silt (%) - Not recorded