

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM **Site ID:** BD58 **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Site Information**

<b>Desc. By:</b>	McKane, Dermot	<b>Locality:</b>	
<b>Date Desc.:</b>	15/07/93	<b>Elevation:</b>	254 metres
<b>Map Ref.:</b>	Sheet No. : 8327 DGPS	<b>Rainfall:</b>	No Data
<b>Northing/Long.:</b>	6125938 AMG zone: 55	<b>Runoff:</b>	No Data
<b>Easting/Lat.:</b>	537559 Datum: AGD66	<b>Drainage:</b>	No Data

**Geology**

<b>ExposureType:</b>	Undisturbed soil core	<b>Conf. Sub. is Parent. Mat.:</b>	Probable
<b>Geol. Ref.:</b>	No Data	<b>Substrate Material:</b>	Granite

**Land Form**

<b>Rel/Slope Class:</b>	No Data	<b>Pattern Type:</b>	No Data
<b>Morph. Type:</b>	No Data	<b>Relief:</b>	No Data
<b>Elem. Type:</b>	No Data	<b>Slope Category:</b>	No Data
<b>Slope:</b>	2 %	<b>Aspect:</b>	315 degrees

**Surface Soil Condition (dry):**

**Erosion:**

**Soil Classification**

<b>Australian Soil Classification:</b>		<b>Mapping Unit:</b>	N/A
Mottled Eutrophic Brown Dermosol Medium Non-gravelly Loamy Clayey Deep		<b>Principal Profile Form:</b>	N/A
<b>ASC Confidence:</b>		<b>Great Soil Group:</b>	N/A
Confidence level not specified			

**Site Disturbance:**

**Vegetation:**

**Surface Coarse Fragments:**

**Profile Morphology**

A1	0 - 0.13 m	Dark reddish brown (5YR3/4-Moist); ; Loam; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Very weak consistence; 0-2%, fine gravelly, 2-6mm, subrounded, dispersed, coarse fragments; Common, very fine (0-1mm) roots; Clear change to -
B1	0.13 - 0.53 m	Yellowish red (5YR4/8-Moist); ; Light clay; Massive grade of structure; Earthy fabric; Many (>5 per 100mm2) Very fine (0.075-1mm) macropores, Few (<1 per 100mm2) Fine (1-2mm) macropores, Weak consistence; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, coarse fragments; Few, very fine (0-1mm) roots; Abrupt change to -
B21	0.53 - 0.88 m	Yellowish brown (10YR5/6-Moist); Mottles, 2-10% , Faint; Mottles, 2-10% , Faint; Light clay; Weak grade of structure, 2-5 mm, Subangular blocky; Smooth-ped fabric; Firm consistence; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, coarse fragments; Clear change to -
B22	0.88 - 1.2 m	Brownish yellow (10YR6/6-Moist); Mottles, 2-10% , Faint; Mottles, 2-10% , Faint; Light medium clay; Strong grade of structure, 5-10 mm, Platy; Smooth-ped fabric; Very firm consistence; 0-2%, fine gravelly, 2-6mm, subangular, dispersed, Quartz, coarse fragments; 0-2%, fine gravelly, 2-6mm, subrounded, dispersed, coarse fragments; Common (10 - 20 %),

**Morphological Notes**

**Observation Notes**

**Site Notes**

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM      **Site ID:** BD58      **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Test Results:**

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0 - 0.13	5.48A	0.06A	3J	0.78	0.84	0.01		7I		0.14
0.13 - 0.53	6.88A	0.024A	5.9J	2.2	0.61	0.06		10.2I		0.59
0.53 - 0.88	7.71A	0.034A	7.2J	4.4	0.93	0.13		13.4I		0.97
0.88 - 1.2	8.34A	0.033A	6.8J	5.8	0.95	0.42		14I		3.00

Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk	Particle	Size	Analysis
m	%	C	P	P	N	K	Density	GV	CS	Silt
		%	mg/kg	%	%	%	Mg/m3		FS	Clay
									%	
0 - 0.13		1.31C						30.3I		17.6
0.13 - 0.53		0.37C						0I		0
0.53 - 0.88		0.3C						54.3I		13.8
0.88 - 1.2		0.12C						47.4I		14.4

[illegible]

**Project Name:** BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling  
**Project Code:** Wagga\_SLM    **Site ID:** BD58    **Observation ID:** 1  
**Agency Name:** CSIRO Division of Soils (ACT)

**Laboratory Analyses Completed for this profile**

15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15L1	Base saturation percentage (BSP)
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_NR_C	Clay (%) - Not recorded
P10_NR_S	Sand (%) - Not recorded
P10_NR_Z	Silt (%) - Not recorded