Project Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling

Project Code: Wagga_SLM Site ID: LS21 Observation ID: 1

Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By: McKane, Dermot Locality:

Date Desc.: Elevation: 15/07/93 247 metres Map Ref.: Sheet No.: 8427 DGPS Rainfall: No Data Northing/Long.: 6105798 AMG zone: 55 Runoff: Moderately rapid Easting/Lat.: 548492 Datum: AGD66 Well drained Drainage:

<u>Geology</u>

ExposureType: Undisturbed soil core Conf. Sub. is Parent. Mat.: No Data Geol. Ref.: No Data Substrate Material: Quartz

Land Form

Rel/Slope Class:No DataPattern Type:No DataMorph. Type:No DataRelief:No DataElem. Type:No DataSlope Category:No DataSlope:15 %Aspect:180 degrees

Surface Soil Condition (dry):

Erosion:

Soil Classification

Australian Soil Classification:Mapping Unit:N/AMottled Mesotrophic Red Chromosol Very thick Slightly
gravelly Clay-loamy Clayey Moderately deepPrincipal Profile Form:N/A

ASC Confidence: Great Soil Group: N/A

Confidence level not specified

Site Disturbance:

Vegetation:

Surface Coarse Fragments:

Profile Morphology

A1 0 - 0.12 m Brown (10YR4/3-Moist); ; Medium sandy clay loam; Massive grade of structure; Earthy fabric;

Common (1-5 per 100mm2) Fine (1-2mm) macropores, Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Dry; Weak consistence; 2-10%, medium gravelly, 6-20mm, subrounded tabular, dispersed, Quartz, coarse fragments; 2-10%, fine gravelly, 2-6mm,

subangular platy, dispersed, coarse fragments; Field pH 6 (Raupach);

B21 0.12 - 0.6 m Yellowish red (5YR4/6-Moist); Mottles, 10-20%, Distinct; Light medium clay; Moderate grade of

structure, 10-20 mm, Subangular blocky; Smooth-ped fabric; Dry; Firm consistence; Field pH 6

(Raupach);

R 0.6 - 0.9 m Rock

Morphological Notes

Observation Notes

Parna deposits?

Site Notes

D. BYE

Project Name: Project Code: Agency Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling Wagga_SLM Site ID: LS21 Observation ID: 1

Wagga_SLM Site ID: LS21
CSIRO Division of Soils (ACT)

Laboratory Test Results:

Depth	рН	1:5 EC		hangeable Vig	Cations K	E: Na	xchangeable Acidity	CEC		ECEC		ESP
m		dS/m	Ca i	vig	ĸ	Cmol (+)/						%
0 - 0.12 0.12 - 0.6	5.67A 5.76A	0.07A 0.029A	1.3J 2.8J	0.74 5	0.85 0.53	0.01 0.08		5.4l 10l				0.19 0.80
Depth m	CaCO3	Organic C %	Avail. P mg/kg	Total P %	Total N %	Total K %	Bulk Density Mg/m3	Pa GV	rticle CS	Size FS %	Analys Silt	is Clay
0 - 0.12 0.12 - 0.6		1.53C 0.29C							73I 44I		3 12	24 44
Depth m	COLE	Sat.	Grav 0.05 Bar	0.1 Bar	olumetric V 0.5 Bar /g - m3/m	Vater Conte 1 Bar 3	ents 5 Bar 15 I	Bar	K s		K uns	

0 - 0.12 0.12 - 0.6

Project Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling

Project Code: Wagga_SLM Site ID: LS21 Observation ID: 1

Agency Name: CSIRO Division of Soils (ACT)

Laboratory Analyses Completed for this profile

15F1_CA Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts

15F1_K
15F1_K
15F1_MG
15F1_MG
15F1_NA
15F3
Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
CEC by 0.01M silver-thiourea (AgTU)+

15F3 CEC by 0.01M silver-thiourea (AgTU)+
15L1 Base saturation percentage (BSP)
15N1 Exchangeable sodium percentage (ESP)

3A1 EC of 1:5 soil/water extract 4A1 pH of 1:5 soil/water suspension

6B3 Total organic carbon - high frequency induction furnace, infrared

P10_NR_C Clay (%) - Not recorded P10_NR_S Sand (%) - Not recorded P10_NR_Z Silt (%) - Not recorded