

Project Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling
Project Code: Wagga_SLM **Site ID:** LS59 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Site Information

Desc. By:	McKane, Dermot	Locality:	
Date Desc.:	15/07/93	Elevation:	245 metres
Map Ref.:	Sheet No. : 8427 DGPS	Rainfall:	No Data
Northing/Long.:	6100950 AMG zone: 55	Runoff:	Moderately rapid
Easting/Lat.:	547594 Datum: AGD66	Drainage:	Imperfectly drained

Geology

ExposureType:	Undisturbed soil core	Conf. Sub. is Parent. Mat.:	No Data
Geol. Ref.:	No Data	Substrate Material:	No Data

Land Form

Rel/Slope Class:	No Data	Pattern Type:	No Data
Morph. Type:	No Data	Relief:	No Data
Elem. Type:	No Data	Slope Category:	No Data
Slope:	7 %	Aspect:	225 degrees

Surface Soil Condition (dry):

Erosion:

Soil Classification

Australian Soil Classification:		Mapping Unit:	N/A
Mottled Class Undetermined Yellow Chromosol Medium Non-gravelly Loamy Clayey Deep		Principal Profile Form:	N/A
ASC Confidence:		Great Soil Group:	N/A
Confidence level not specified			

Site Disturbance:

Vegetation:

Surface Coarse Fragments:

Profile Morphology

A1	0 - 0.22 m	Yellowish red (5YR4/6-Moist); ; Loam; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Common (1-5 per 100mm2) Fine (1-2mm) macropores, Weak consistence; 0-2%, fine gravelly, 2-6mm, subangular tabular, dispersed, Siltstone, coarse fragments; Field pH 6 (Raupach); Common, very fine (0-1mm) roots;
B21	0.22 - 0.55 m	Red (2.5YR4/6-Moist); ; Light clay; Massive grade of structure; Earthy fabric; Common (1-5 per 100mm2) Very fine (0.075-1mm) macropores, Common (1-5 per 100mm2) Fine (1-2mm) macropores, Firm consistence; 0-2%, fine gravelly, 2-6mm, subangular tabular, dispersed, Siltstone, coarse fragments; Field pH 6.5 (Raupach);
B22	0.55 - 0.83 m	Reddish yellow (7.5YR6/8-Moist); Mottles, 20-50% , Prominent; Light clay; Massive grade of structure; Earthy fabric; Very firm consistence; 2-10%, subangular tabular, dispersed, Siltstone, coarse fragments; Field pH 6.5 (Raupach);
R	0.83 - 1 m	Rock

Morphological Notes

Observation Notes

Site Notes

B. MILLER, CASEBROOK

Project Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling
Project Code: Wagga_SLM **Site ID:** LS59 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Test Results:

Depth	pH	1:5 EC	Ca	Exchangeable Mg	Cations K	Na	Exchangeable Acidity	CEC	ECEC	ESP
m		dS/m				Cmol (+)/kg				%
0 - 0.22	4.97A	0.034A	0.8J	0.2	0.49	0.01		4.7I		0.21
0.22 - 0.55	6.48A	0.029A	5.1J	1.8	0.52	0.05		11.6I		0.43
0.55 - 0.83	7.45A	0.035A	4.9J	3.5	0.33	0.05		9I		0.56

Depth	CaCO3	Organic	Avail.	Total	Total	Total	Bulk	Particle		Size	Analysis	
m	%	C	P	P	N	K	Density	GV	CS	FS	Silt	Clay
		%	mg/kg	%	%	%	Mg/m3			%		
0 - 0.22		0.65C							66l		17	17
0.22 - 0.55		0.32C							50l		12	38
0.55 - 0.83		0.16C							50l		12	38

[illegible]

Project Name: BRUCEDALE/LADYSMITH/GRIGGWARD - Soil Landscape Modelling
Project Code: Wagga_SLM **Site ID:** LS59 **Observation ID:** 1
Agency Name: CSIRO Division of Soils (ACT)

Laboratory Analyses Completed for this profile

15F1_CA	Exchangeable bases by 0.01M silver-thiourea (AgTU)+, no pretreatment for soluble salts
15F1_K	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_MG	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F1_NA	Exchangeable bases by 0.01m (AgTU)+, no pretreatment for soluble salts
15F3	CEC by 0.01M silver-thiourea (AgTU)+
15L1	Base saturation percentage (BSP)
15N1	Exchangeable sodium percentage (ESP)
3A1	EC of 1:5 soil/water extract
4A1	pH of 1:5 soil/water suspension
6B3	Total organic carbon - high frequency induction furnace, infrared
P10_NR_C	Clay (%) - Not recorded
P10_NR_S	Sand (%) - Not recorded
P10_NR_Z	Silt (%) - Not recorded