ACIDIC GRADATIONAL LOAM OVER ROCK

General Description: Dark brown loam grading to a paler coloured gravelly clay loam over

a brown well structured clay containing increasing shaly gravel with

depth. Soft weathering rock within a metre.

Landform: Hillslopes of rolling low hills

of the central Mt. Lofty

Ranges

Substrate: Proterozoic shales and

siltstones

Vegetation: Stringybark (Euc. obliqua)

forest

Type Site: Site No.: CH097 1:50,000 mapsheet: 6628-3 (Adelaide)

Hundred:OnkaparingaEasting:292200Section:4Northing:6129200

Sampling date: 06/09/96 Annual rainfall: 1,040 mm average

Upper slope of a rolling rise with 15% gradient, firm surface and 2-10% surface siltstone

Soil Description:

| Depth (cm) | Description |
|------------|--------------------------------------------------------------------------------------------------------------------------------------|
| 0-10 | Dark brown loam with moderate granular structure and 2-10% siltstone gravel. Clear to: |
| 10-25 | Brown clay loam with weak granular structure and 2-10% siltstone gravel. Clear to: |
| 25-35 | Orange light clay with moderate polyhedral structure and 2-10% siltstone gravel, mixed with pockets of brown surface soil. Clear to: |
| 35-55 | Orange and red medium clay with strong polyhedral structure and 2-10% siltstone gravel. Gradual to: |
| 55-80 | Orange, yellowish brown and red light clay with strong polyhedral structure and 20-50% siltstone gravel. Gradual to: |
| 80-120 | Soft weathered siltstone with pockets of yellowish brown and red silty clay loam. |



Classification: Haplic, Mesotrophic, Brown Dermosol; medium, slightly gravelly, loamy / clayey, deep





Summary of Properties

Drainage: Moderately well drained. Saturation rarely extends for more than a week following

prolonged rain.

Fertility: Natural fertility is moderate due to the degree of leaching of the soil. Exchangeable

cation levels are adequate at the surface but decrease significantly with depth, indicating that most of the nutrient retention capacity is associated with organic

matter. No surface nutrient deficiencies are apparent from the test data.

pH: Acidic throughout, but more strongly acidic in the subsoil. Lime is required to correct

pH.

Rooting depth: 120 cm in pit, but few roots below 80 cm.

Barriers to root growth:

Physical: None.

Chemical: Low pH and high aluminium.

Waterholding capacity: 140 mm total available, 70 mm readily available in rootzone.

Surface condition: Firm surface, easily worked.

Erosion Potential:

Water: Moderately high due to the slope.

Wind: Low.

Laboratory Data

| Depth cm | pH H ₂ O | pH CaC1 ₂ | | EC1:5 dS/m | ECe dS/m | % | P | Avail. K mg/kg | | Boron mg/kg | Trace Elements mg/kg (EDTA) | | | | CEC cmol (+)/kg | Exc | hangea cmol | ESP | Exch Al mg/kg | | |
|-------------|------------------------|-------------------------|---|---------------|-------------|-----|----|----------------------|-----|----------------|-----------------------------|-----|------|------|-----------------------|------|----------------|------|---------------------|-----|------|
| | | | | | | | | | | | Cu | Fe | Mn | Zn | (*)/2-8 | Ca | Mg | Na | K | | |
| Row | 6.6 | 5.6 | 0 | 0.05 | 0.27 | 2.8 | 48 | 236 | 7.3 | 1.0 | 57.8 | 128 | 26.2 | 11.3 | 13.6 | 9.04 | 2.38 | 0.12 | 0.54 | 0.9 | 4.2 |
| | | | | | | | | | | | | | | | | | | | | | |
| 0-10 | 6.4 | 5.5 | 0 | 0.05 | 0.19 | 2.2 | 19 | 239 | 6.3 | 1.0 | - | - | - | - | 10.5 | 5.43 | 1.45 | 0.08 | 0.47 | 0.8 | 5.1 |
| 10-25 | 6.3 | 5.3 | 0 | 0.04 | 0.13 | 1.8 | 15 | 168 | 5.5 | 0.8 | 1 | - | - | - | 9.4 | 5.08 | 1.18 | 0.12 | 0.36 | 1.3 | 6.3 |
| 25-35 | 6.1 | 5.0 | 0 | 0.03 | 0.10 | 1.3 | 7 | 128 | 6.2 | 0.7 | 1 | - | - | - | 8.0 | 3.94 | 1.41 | 0.13 | 0.28 | 1.6 | 18.2 |
| 35-55 | 5.6 | 4.7 | 0 | 0.03 | 0.08 | 0.7 | 4 | 84 | 18 | 0.8 | 1 | - | - | - | 8.5 | 3.40 | 2.12 | 0.14 | 0.20 | 1.6 | 35.0 |
| 55-80 | 5.6 | 4.8 | 0 | 0.05 | 0.10 | 0.3 | 3 | 65 | 69 | 0.4 | - | - | - | - | 7.2 | 2.80 | 3.53 | 0.16 | 0.16 | 2.2 | 17.7 |
| 80-120 | 5.6 | 4.7 | 0 | 0.04 | 0.10 | 0.1 | 3 | 46 | 64 | 0.4 | - | - | - | - | 4.4 | 1.03 | 2.68 | 0.13 | 0.09 | 3.0 | 17.9 |

Note: Row sample bulked from 20 cores (0-15 cm) taken along the planting rows.

CEC (cation exchange capacity) is a measure of the soil's capacity to store and release major nutrient elements. ESP (exchangeable sodium percentage) is derived by dividing the exchangeable sodium value by the CEC.

Further information: DEWNR Soil and Land Program



