## SAND OVER CLAY ON CALCRETE

General Description: Soft sand with a bleached subsurface layer, sharply overlying a grey

 $mottled\ column ar\ structured\ clay\ with\ fragmented\ or\ sheet\ calcrete\ at$ 

about 50 cm.

**Landform:** Level to very gently

undulating plains

**Substrate:** Calcreted limestones and

clays of the Padthaway Formation (old lagoon bed

deposits)

Vegetation:



**Type Site:** Site No.: SE905 1:50,000 mapsheet: 6925-4 (Laffer)

Hundred:LafferEasting:419700Section:12Northing:5998750

Sampling date: 26/11/03 Annual rainfall: 510 mm average

Flat on very gently undulating plain. Soft surface with 2-10% calcrete stones (60-200 mm).

## **Soil Description:**

Depth (cm) Description

0-15 Brown (10YR4/3) soft single grain sand. Clear to:

15-25 Very pale brown (10YR8/2) soft single grain

sand. Sharp to:

25-40 Light olive brown (2.5Y5/3) and dark greyish

brown (2.5Y4/2) mottled firm medium clay with

strong coarse columnar structure. Gradual to:

40-60 Light olive brown (2.5Y5/3) firm non calcareous

medium clay with weak subangular blocky structure, 20-50% calcrete fragments (60-200 mm) and 10-20% soft carbonate segregations.

Sharp to:

60-65 Strongly cemented massive calcrete pan.



Classification: Calcic, Mottled-Hypernatric, Brown Sodosol; medium, slightly gravelly, sandy / clayey, moderate





## Summary of Properties

**Drainage:** Imperfectly drained. The shallow watertable characteristic of this area prevents adequate

drainage of water from the profile to the extent that at least the lower part of the soil is

wet for several months each year.

**Fertility:** Inherent fertility is low, as indicated by the exchangeable cation data. This is due to low

clay content and moderate to strong leaching. Note accumulation of phosphorus in the subsoil. Copper, zinc and manganese are all deficient in the surface, but levels are satisfactory in the subsoil (this is the reverse of normal trends for these elements Regular

phosphorus and nitrogen applications are essential, with strategic trace element applications. Tissue testing for calcium and magnesium levels is also warranted.

**pH:** Alkaline at the surface, strongly alkaline with depth.

**Rooting depth:** 60 cm in pit, but few roots below 40 cm.

Barriers to root growth:

**Physical:** The poorly structured subsoil restricts root growth, confining most activity to the

surfaces of the coarse aggregates. The calcrete also prevents uniform root distribution,

although it is sufficiently fractured to allow some penetration.

**Chemical:** High salinity throughout, and associated high boron and chloride, restrict root growth of

all but halophytic species. High alkalinity in the subsoil is a further barrier.

**Waterholding capacity:** Approximately 50 mm in the potential rootzone (Moderately low).

**Seedling emergence:** Satisfactory, although water repellence may cause uneven establishment in some seasons.

**Workability:** The sandy surface is easily worked, although compaction is likely if worked too wet.

**Erosion Potential:** 

Water: Low.

Wind: Moderately low.

## Laboratory Data

Depth cm	pH H <sub>2</sub> O	pH CaC1 <sub>2</sub>	-	EC 1:5 dS/m	ECe dS/m	Cl mg/kg		P	K	mg/kg	Boron mg/kg	0 0				CEC cmol	Exchangeable Cations cmol(+)/kg			
								mg/kg	mg/kg			Cu	Fe	Zn	Mn	(+)/kg	Ca	Mg	Na*	K
0-15	8.9	8.2	0	2.21	29.1	2254	0.46	6	176	160	4.4	0.15	2.8	0.45	0.40	nd	0.80	1.93	8.39	0.39
15-25	8.6	7.8	0	0.895	12.9	890	0.11	<1	102	60.4	2.2	0.44	12	0.60	0.95	nd	0.35	0.72	3.10	0.23
25-40	9.6	9.0	8.6	2.71	26.5	3357	nd	26	935	301	21.0	0.44	9.6	0.41	0.72	nd	5.20	6.13	19.58	2.80
40-60	9.6	9.0	10.8	2.37	18.2	2695	nd	12	1036	223	6.6	0.31	37	1.3	2.77	nd	5.48	5.60	16.68	2.85
60-65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ı	-	-

Note: CEC (cation exchange capacity) is a measure of the soil's capacity to store and release major nutrient elements.

Further information: DEWNR Soil and Land Program





<sup>\*</sup> Extremely high values indicate that sample pre-treatment for soluble salts may have been inadequate.